


AFGL-TR-80-0242  
ENVIRONMENTAL RESEARCH PAPERS, NO. 713



LEVEL II


AD A092670

## Wind Distributions and Interlevel Correlations, Surface to 60 km

ARTHUR J. KANTOR  
ALLEN E. COLE

19 August 1980

Approved for public release; distribution unlimited.



METEOROLOGY DIVISION PROJECT 6670  
AIR FORCE GEOPHYSICS LABORATORY  
HANSOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF




80 12 04 091

JDC FILE COPY

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

  
John Howord  
Chief Scientist

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

(14) AFGL-TR-80-0242,  
AFGL-ERP-713

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL-TR-80-0242	2. GOVT ACCESSION NO AD-A092670	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WIND DISTRIBUTIONS AND INTERLEVEL CORRELATIONS, SURFACE TO 60 km		5. TYPE OF REPORT & PERIOD COVERED Scientific. Interim.
		6. PERFORMING ORG. REPORT NUMBER ERP No. 713
7. AUTHOR(s) Arthur J. Kantor Allen E. Cole	8. CONTRACT OR GRANT NUMBER(s) Environmental research papers	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Air Force Geophysics Laboratory (LYD) Hanscom AFB Massachusetts 01731		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62101F 66770907
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory (LYD) Hanscom AFB Massachusetts 01731		12. REPORT DATE 19 August 1986
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 115
		15. SECURITY CLASS (of this report) Unclassified
		16. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Stratospheric mesospheric winds Extreme winds Reentry winds Reentry vehicle trajectories		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Information is provided in this report on the interlevel correlations of the east/west and north/south wind components for altitudes between the surface and 60 km, with special emphasis on levels between 25 km and 60 km. Mean monthly wind speeds and day-to-day variations due to synoptic changes in weather patterns are included. Estimates are also given of the probability of extreme wind speeds at specific locations and altitudes up to 60 km. A statistical technique that can be used to obtain estimates of the integrated effect of wind on the trajectories and impact points of reentry vehicles is presented.		

DD FORM 1 JAN 73 1473A EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

409578

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. (Cont)

and an example of its application is given. These effects due to the winds must be considered, along with the density effects, in the design and operation of guidance systems for reentry vehicles and for targeting ballistic missiles.

14736 — Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## Preface

The authors wish to thank Mr. Karekin Agazarian who developed the computer program for the computation of the statistical arrays. He provided them in "camera-ready" format, eliminating the time-consuming, manual preparation of Appendix A of this report. We also appreciate the work of Mr. Eugene A. Bertoni who prepared many of the figures for final drafting.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DPIC I&P	<input type="checkbox"/>
Unmark Index	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By _____	
In accordance with a security order	
Avail and/or	
Dist	Special
<i>A</i>	

## **Contents**

1. INTRODUCTION	9
2. OBSERVATIONS AND LIMITATIONS	10
3. TECHNIQUE	11
3.1 The Effect of Wind on Aerospace Vehicles	11
3.2 Extreme Winds	12
4. WIND PROFILES	13
5. VARIABILITY	14
6. INTERLEVEL CORRELATION	20
7. EXTREME WINDS	26
REFERENCES	31
APPENDIX A: Interlevel Correlation Coefficients of Zonal and Meridional Winds for Altitudes up to 60 km	33
APPENDIX B: Sample Calculations for Estimating the Effects of Winds on a Reentry Vehicle	113

## Illustrations

1. Latitudinal Effects on the Zonal Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill	15
2. Latitudinal Effects on the Meridional Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill	16
3. Seasonal Effects on the Zonal Wind Profiles at Ascension Island, Wallops Island, and Churchill	17
4. Seasonal Effects on the Meridional Wind Profiles at Ascension Island, Wallops Island, and Churchill	18
5. Day-to-day Variability Around Mean Monthly Zonal Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill	19
6. Day-to-day Variability Around Mean Monthly Meridional Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill	19
7. Vertical Profiles of Correlation Coefficients of Zonal Winds at the Surface With Zonal Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill	21
8. Vertical Profiles of Correlation Coefficients of Meridional Winds at the Surface With Meridional Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill	22
9. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein	23
10. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein	23
11. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	24
12. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	24
13. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats	25
14. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats	25

## Tables

1. Observational Sites	10
2. Median and 90, 95, and 99 Percentile Scalar Winds ( $m \cdot sec^{-1}$ ) for the Midseason Months at Ascension Island	27
3. Median and 90, 95, and 99 Percentile Scalar Winds ( $m \cdot sec^{-1}$ ) for the Midseason Months at Wallops Island	28
4. Median and 90, 95, and 99 Percentile Scalar Winds ( $m \cdot sec^{-1}$ ) for the Midseason Months at Churchill	29
A1. Zonal Winds From the Surface to 60 km at Ascension Island	34
A2. Meridional Winds From the Surface to 60 km at Ascension Island	38
A3. Zonal Winds From the Surface to 60 km at Kwajalein	42
A4. Meridional Winds From the Surface to 60 km at Kwajalein	46
A5. Zonal Winds From the Surface to 60 km at Wallops Island	50
A6. Meridional Winds From the Surface to 60 km at Wallops Island	54
A7. Zonal Winds From the Surface to 60 km at Churchill	58
A8. Meridional Winds From the Surface to 60 km at Churchill	62
A9. Zonal Winds From 26 km to 60 km at Fort Sherman	66
A10. Meridional Winds From 26 km to 60 km at Fort Sherman	70
A11. Zonal Winds From 26 km to 60 km at Barking Sands	74
A12. Meridional Winds From 26 km to 60 km at Barking Sands	78
A13. Zonal Winds From 26 km to 60 km at Cape Kennedy	82
A14. Meridional Winds From 26 km to 60 km at Cape Kennedy	86
A15. Zonal Winds From 26 km to 60 km at White Sands	90
A16. Meridional Winds From 26 km to 60 km at White Sands	94
A17. Zonal Winds From 26 km to 60 km at Primrose Lake	98
A18. Meridional Winds From 26 km to 60 km at Primrose Lake	101
A19. Zonal Winds From 26 km to 60 km at Poker Flats	104
A20. Meridional Winds From 26 km to 60 km at Poker Flats	108

## Wind Distributions and Interlevel Correlations, Surface to 60 km

### I. INTRODUCTION

The winds that are encountered during passage through the atmosphere must be considered in the design and operation of missiles and other aerospace vehicles. In horizontal flight, information on the direction and speed of the wind at a specific altitude is needed to determine the range and ground speed of aircraft and the trajectory of constant level balloons. Variations in the vertical distribution of the winds are important factors in the launching as well as reentry of aerospace vehicles which rise or descend vertically through the atmosphere. During launch, wind shear resulting from changes in wind speed and direction with altitude can create a continuous torque on a vertically rising vehicle, forcing it off course and out of control. Deviations in the assumed vertical wind profile over a target or reentry point affect the range and cross-range of a ballistic missile. These effects must be considered, along with density effects,<sup>1</sup> in the design of guidance systems for reentry vehicles and for targeting ballistic missiles.

The data presented in this report indicate the frequency of extreme wind speeds at altitudes up to 60 km and provide information on the interlevel correlations of the east/west (zonal) and north/south (meridional) wind components for altitudes

---

(Received for publication 19 August 1980)

1. Cole, A. E., Kantor, A. J., and Bertoni, E. A. (1980) Interlevel Correlation of Temperature and Density, Surface to 60 km, AFGL-TR-80-0163.

between the surface and 60 km over specific locations. Special emphasis is placed on winds in the region between 25 and 60 km. A statistical technique which can be used to integrate the influence of the wind on the trajectories and impact points of reentry vehicles is presented and an example of its application is given in Appendix B. The technique can be also used for estimating the dispersion of balloons released from the surface and of chaff released in the upper atmosphere.

## 2. OBSERVATIONS AND LIMITATIONS

Wind data used in this report consist of rawinsonde and Meteorological Rocket Network (MRN) observations taken at the ten locations shown in Table 1.

Table 1. Observational Sites

Station	Location	Altitudes	Period of Record
Ascension Island	8°S, 14°W	Surface to 60 km	1969-1976
Kwajalein	9°N, 168°E	Surface to 60 km	1969-1976
Wallops Island	38°N, 75°W	Surface to 60 km	1969-1976
Churchill	59°N, 94°W	Surface to 60 km	1969-1976
Fort Sherman	9°N, 80°W	26 to 60 km	1969-1976
Barking Sands	22°N, 160°W	26 to 60 km	1969-1976
Cape Kennedy	28°N, 80°W	26 to 60 km	1969-1976
White Sands	32°N, 106°W	26 to 60 km	1969-1976
Primrose Lake	55°N, 110°W	26 to 60 km	1969-1976
Poker Flats	64°N, 146°W	26 to 60 km	1969-1976

At the first four stations, rawinsonde and rocketsonde observations taken within a few hours of each other were combined to provide individual wind profiles from the surface to 60 km. Rocketsondes without accompanying rawinsondes were used at the six remaining sites to develop statistical properties of the wind distributions between 26 km and 60 km. Only observations that were taken at least 72 hr apart were used for this study in order to minimize the effects of persistence on the statistical properties of the wind. Durst<sup>2</sup> has shown that, at altitudes between 5 km and 20 km, the time rate of decay of the correlation coefficient (R) for wind follows the rule  $R = e^{-aT}$ , where "a" equals  $6.9 \times 10^{-6} \text{ sec}^{-1}$  and T is measured in seconds.

2. Durst, B.A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.

The calculated correlation coefficient between observations taken three days apart is 0.17. This is in agreement with observed 72-hr correlations which are generally near zero (< 0.2).

The winds for altitudes up to 26 km, were extracted from rawinsonde observations. The Root Mean Square (RMS) observational errors in rawinsonde wind measurements using FPS-16, T-9, or similar radar for altitudes up to 26 km are  $1 \text{ m sec}^{-1}$  plus 2 percent of the vector wind.<sup>3</sup> For geometric altitudes between 26 km and 60 km, winds are obtained at 2-km intervals directly from MRN observations.<sup>4</sup> The estimated RMS observational errors in rocketsonde wind measurements at these levels are  $2 \text{ m sec}^{-1}$  plus 3 percent of the vector wind.<sup>3</sup>

Statistical arrays of the mean monthly winds for the midseason months of January, April, July, and October are presented in Appendix A for the ten locations shown in Table 1. They include mean monthly values of the zonal and meridional components at 2-km increments of altitude, standard deviations around the means, and interlevel correlation coefficients for each component for altitudes up to 60 km. The observed RMS variations ( $\sigma_o$ ) around the monthly means include the true RMS variability ( $\sigma_t$ ) due to changes in synoptic conditions and the RMS observation error ( $\sigma_e$ ). If the true variability and observational errors are independent, the observed RMS variability is given by Eq. (1):

$$\sigma_o = \sqrt{\sigma_t^2 + \sigma_e^2}. \quad (1)$$

As a result, the effect of observational errors should be carefully evaluated to determine how much of the variability indicated by the uncorrected soundings is due to synoptic changes in weather patterns. These errors have a relatively small effect on the mean monthly wind components given in Appendix A because the RMS error of the mean monthly wind is equal to the RMS value of the error of an observation divided by the square root of the number of independent observations used in computing the monthly means.

### 3. TECHNIQUE

#### 3.1 The Effect of Wind on Aerospace Vehicles

The average effect (E) of mean monthly winds on the range and cross range of a missile can be determined for a particular location by computer-simulated flights

3. Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM.
4. World Data Center A (1969-1976) Data Report Meteorological Rocket Network Firings, Ashville, NC.

through mean monthly component wind profiles if the appropriate influence coefficients for the missile at the various levels are given:

$$E = c_i v_i \quad (2)$$

where  $c_i$  is the influence coefficient at the  $i$ th level that describes the portion of the total response of a missile assignable to that level, and  $v_i$  represents the mean of the component wind speed for that level. The variation around this average effect is, that is, the integrated standard deviation of the range due to day-to-day deviations from the mean monthly component wind profile, can be obtained from:

$$\sigma = \sqrt{\sum_{ij} c_i c_j R_{ij} \sigma_i \sigma_j} \quad (3)$$

where  $\sigma$  is the integrated standard deviation,  $c_i$  and  $c_j$  are the influence coefficients at levels  $i$  and  $j$ ,  $\sigma_i$  and  $\sigma_j$  are the standard deviations of the component wind at levels  $i$  and  $j$ , and  $R_{ij}$  is the correlation coefficient between the component wind at level  $i$  with that at level  $j$ .<sup>5</sup> If it is assumed that the cross-component correlations are zero at any given level as well as between levels, the standard deviations for each component of the wind [Eq. (3)] can be readily combined and used to determine the probability of occurrence of deviations of any desired magnitude from the planned trajectory or, conversely, any probability of occurrence for the means, standard deviations, and correlation coefficients given in Appendix A. The arithmetic example in Appendix B illustrates how to use Eqs. (2) and (3) along with the statistical arrays in Appendix A to estimate the effect of the wind on the trajectory (and impact point) of a reentry vehicle.

### 3.2 Extreme Winds

Extreme wind speeds also can be estimated from the mean monthly wind components and standard deviations given in Appendix A. Based on the observations described in Section 2 above, mean monthly wind vectors and vector standard deviations were determined from the means and standard deviations of the zonal and meridional winds. Extreme scalar speeds were then calculated using the vector means and associated vector standard deviations and assuming a circular normal distribution.<sup>6</sup> A circular normal distribution requires an assumption that the zonal and meridional

5. Valley, S. L., Sci. Ed. (1965) Handbook of Geophysics and Space Environments, AFCRL.

6. Crutcher, H. L. (1959) Upper Wind Statistics Charts of the Northern Hemisphere, NAVAER 50-1C-535, Vol. I and II.

wind components are uncorrelated (independent) and that their standard deviations are equal. Since the standard deviations around the mean monthly zonal winds are generally somewhat larger than the standard deviations around the mean monthly meridional winds, an elliptical normal rather than a circular normal assumption applies. The effect of this inequality in the standard deviations can be estimated. For example, when the standard deviation of one component is twice that of the other, a circle of radius equal to one vector standard deviation contains about 65 percent of the total probability rather than 63.2 percent when the standard deviations are equal (circular normal).<sup>7</sup> Because of this small difference, a circular normal approximation has been used in this report as it provides reasonably accurate estimates and simplifies the calculations that must be made to determine extreme winds in the stratosphere and lower mesosphere.

#### 4. WIND PROFILES

Profiles of mean zonal and meridional winds ( $m \ sec^{-1}$ ) for each of the mid-season months at Ascension Island, Wallops Island, and Churchill are plotted in Figures 1 and 2. These profiles describe variations in the vertical distributions of the monthly winds with geographic location. The most obvious feature of the zonal winds (Figure 1) in the stratosphere and lower mesosphere is that the strongest zonal winds occur near 60 km at Wallops Island in three of the four seasons. A west-to-east reversal in the zonal component above 20 km occurs between January and July at both Wallops Island and Churchill. In the troposphere the zonal winds generally increase with altitude from the surface, reaching a maximum near the tropopause where the mean zonal winds are westerly at all latitudes and seasons. This is the level where the wind shear is likely to be the most critical during the launching of missiles and other aerospace vehicles. The mean monthly meridional winds (Figure 2) are relatively light, less than 10 or 12  $m \ sec^{-1}$  at all levels and locations except above 24 km at Wallops Island and Churchill in January.

Seasonal differences in the component wind profiles at each of the three stations are apparent in Figures 3 and 4. The middle and high latitude west-to-east reversal between winter and summer is clearly shown in Figure 3 for altitudes above 20 km at both Wallops Island and Churchill. Mean monthly differences between the winter westerlies and summer easterlies reach  $136 \ m \ sec^{-1}$  at Wallops Island at 60 km. Somewhat larger differences occur between 60 and 70 km, the region of maximum winds in the mesosphere at midlatitude locations, and they gradually

7. Court, A. (1957) Maximum Variability Level of Winds, Scientific Report No. 2, Contract AF19(604)-2060, AFCRC TN-57-478.

decrease at altitudes above 70 km. Below 20 km monthly zonal winds at Wallops Island and Churchill are light to moderate westerly ( $< 34 \text{ m sec}^{-1}$ ) during all seasons. The mean meridional components (Figure 4) are generally small during most seasons. Southerly winds approach  $18 \text{ m sec}^{-1}$  only in January above 44 km at Wallops Island, and northerly winds reach about the same speed, also in January, between 32 and 44 km at Churchill.

## 5. VARIABILITY

Standard deviations of the day-to-day fluctuations around the mean monthly component winds for altitudes between the surface and 60 km are tabulated in Appendix A and are shown in Figures 5 and 6 for January, April, July, and October at Ascension Island, Wallops Island, and Churchill. These variations are a result of day-to-day changes in synoptic weather patterns. The variations of the zonal winds (Figure 5) are generally largest in January and at high latitudes, and smallest in July. Above the troposphere in July the variations are somewhat larger in the tropics than in middle and high latitudes. In addition, the seasonal differences between January and July increase with both latitude and altitude at levels above 20 km. The variations of the meridional winds (Figure 6) display similar characteristics, but are generally somewhat smaller above the troposphere than variations of the zonal winds.




Figure 1. Latitudinal Effects on the Zonal Wind Profiles for the Midseason Months at Ascencion Island, Wallops Island, and Churchill




Figure 2. Latitudinal Effects on the Meridional Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill




Figure 3. Seasonal Effects on the Zonal Wind Profiles at Ascension Island, Wallops Island, and Churchill




Figure 4. Seasonal Effects on the Meridional Wind Profiles at Ascension Island, Wallops Island, and Churchill




Figure 5. Day-to-day Variability Around Mean Monthly Zonal Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill




Figure 6. Day-to-day Variability Around Mean Monthly Meridional Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill

## 6. INTERLEVEL CORRELATIONS


The rate of decay of the correlations with an increase of either the horizontal or vertical distance between the points of observation, or the time interval between observations, is similar for most meteorological elements such as density, temperature, and wind. As yet, no one fundamental mathematical expression has been found to completely describe this correlation decay. Accordingly, a number of empirical models which are valid for specific meteorological elements over only limited ranges have been developed and used.

Profiles of correlation coefficients ( $R$ ) of surface wind components with wind components at other altitudes up to 60 km are shown in Figures 7 and 8 for each of the midseason months at Ascension Island, Wallops Island, and Churchill. Correlations between the surface components and those at other altitudes decrease quickly as the vertical distance between levels increases; they generally approach zero and maintain relatively low values during all seasons at the three locations between the surface and all levels above the tropopause (> 8 to 16 km). This indicates that not much information on day-to-day variability around the mean monthly component wind profiles above the tropopause can be obtained from surface wind observations. The decay of the interlevel correlations with increasing separation varies considerably with starting level and season, as can be seen in the tabulations within the statistical arrays in Appendix A.

Profiles of correlation coefficients of the component winds at 26 km with component winds at higher altitudes up to 60 km are shown for each of the midseason months at locations in the tropics (Figures 9 and 10), middle latitudes (Figures 11 and 12), and high latitudes (Figures 13 and 14). The July profiles at Primrose Lake are not shown in Figures 13 and 14 because only 10 or 11 observations were available in July for the development of the interlevel correlations.

Interlevel correlations between zonal components decay most rapidly in the tropics, becoming negative within 6 to 12 km above 26 km. In middle and high latitudes the correlations decay more slowly, remaining positive or near zero at most locations and months. In January, however, correlations at most midlatitude stations become negative above roughly 40 km. The profiles for locations within the same latitude band indicate that the correlations are fairly stable for large areas of the Northern Hemisphere. Consequently, more reliable estimates of the profiles of  $R$  for altitudes above 26 km can be derived by using average values for low, middle, and high latitude locations, respectively, obtained either from the plots shown in Figures 9, 11, and 13 or from the statistical arrays in Appendix A.

The meridional components are relatively unimportant since correlations are generally between  $\pm 0.3$  at all levels, months, and stations in the tropics; during April, July, and October in the middle latitudes; and during July in high latitudes. The high-latitude correlations decay to near zero or slightly less than zero during the other months at levels above roughly 50 km.



**Figure 7.** Vertical Profiles of Correlation Coefficients of Zonal Winds at the Surface With Zonal Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill






Figure 8. Vertical Profiles of Correlation Coefficients of Meridional Winds at the Surface With Meridional Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill



**Figure 9. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein**



**Figure 10. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein**




Figure 11. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 12. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 13. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats




Figure 14. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats

## 7. EXTREME WINDS

Vertical cross sections of mean monthly zonal and meridional winds have revealed that the strongest monthly vector winds occur in the middle latitudes, generally during November and December. Resulting hemispheric 1-percent extremes have been estimated to reach  $215 \text{ m sec}^{-1}$  near 55 km.<sup>8</sup> Envelopes of estimated global extreme winds for altitudes from the surface to 80 km can be found in MIL-STD-210B.<sup>9</sup>

Mean monthly vector winds for this report were calculated from monthly component winds for altitudes above 26 km and were found to be largest during winter between latitudes  $35^{\circ}\text{N}$  and  $60^{\circ}\text{N}$ . The 90, 95, and 99 percentile scalar speeds were estimated for Ascension Island, Wallops Island, and Churchill, using the statistical technique outlined in Section 3 of this report. Ascension Island, Wallops Island, and Churchill were selected as locations typical of wind regimes in low, middle, and high latitudes, respectively. Medians and 90, 95, and 99 percentile scalar speeds for the midseason months at these locations are shown in Tables 2, 3, and 4 for altitudes between 26 and 60 km. The largest 1-percent extremes ( $155 \text{ m sec}^{-1}$ ) are shown at Wallops Island in January at 50 km, with the maximum apparently occurring at or slightly above 50 km. The 1-percent extreme at Churchill ( $152 \text{ m sec}^{-1}$ ), also in January, occurs near 50 km, more typical of a high-latitude location. Extremes are usually smaller in the tropics, as indicated in Table 2 for Ascension Island.

These estimates provide envelopes of the 90, 95, and 99 percentile wind speeds at specific locations for levels between 26 and 60 km. They will not occur simultaneously at all levels; consequently, they cannot be used to represent an extreme wind profile. Because they were determined statistically at all altitudes, assuming independence between levels, they should not be used to determine the effect of wind on a vertically rising or descending vehicle. They are applicable, however, to a vehicle traveling horizontally through the atmosphere such as a constant level balloon or aircraft.

---

8. Kantor, A. J. (1969) Strong Wind and Vertical Wind Shear Above 30 km, AFCRL-69-0346.

9. DoD (1973) MIL-STD-210B, Climatic Extremes for Military Equipment, Washington, D.C.

Table 2. Median and 90, 95, and 99 Percentile Scalar Winds ( $m \ sec^{-1}$ ) for the Midseason Months at Ascension Island

Altitude (km)	January			April			July			October		
	50	90	95	50	90	95	50	90	95	50	90	95
26	15	31	34	38	11	31	34	39	9	35	39	46
28	15	34	37	42	12	35	38	44	9	33	36	43
30	18	42	45	51	15	40	43	50	8	29	32	37
32	22	44	47	53	16	42	45	52	6	25	27	32
34	27	49	52	58	17	42	45	52	5	23	25	30
36	31	50	53	58	17	38	40	46	7	28	31	36
38	34	53	55	60	13	35	38	44	9	34	38	44
40	41	61	63	69	1	27	30	37	10	36	39	46
42	50	66	69	73	11	35	39	45	13	38	41	48
44	60	79	82	88	20	39	41	47	16	42	46	53
46	68	92	96	102	24	41	44	48	21	49	53	61
48	73	102	106	114	27	45	48	53	23	52	56	64
50	65	99	103	113	30	47	50	55	24	53	57	64
52	46	81	86	96	33	50	52	57	18	43	47	53
54	29	65	70	80	34	54	57	62	9	34	37	44
56	16	52	56	66	38	58	61	67	4	31	34	42
58	3	35	40	49	40	62	65	71	9	36	40	48
60	4	33	37	44	37	62	65	72	12	41	45	53

Table 3. Median and 90, 95, and 99 Percentile Scalar Winds ( $m \ sec^{-1}$ ) for the Midseason Months at Wallops Island

Altitude (km)	January			April			July			October		
	50	90	95	50	90	95	50	90	95	50	90	95
26	14	38	42	49	2	11	13	15	14	19	20	22
28	16	47	51	60	4	14	16	19	16	22	23	24
30	19	54	58	68	8	20	22	26	18	24	25	29
32	24	65	71	82	12	27	29	33	20	28	29	37
34	28	73	79	91	15	33	35	40	22	29	30	32
36	31	76	82	94	16	37	40	46	24	31	32	35
38	35	83	90	103	16	39	42	48	28	37	38	40
40	39	93	100	115	15	39	42	48	32	41	42	44
42	42	93	100	115	15	40	43	50	35	45	46	49
44	48	98	104	118	13	40	43	50	39	48	50	52
46	53	106	113	128	14	40	44	51	41	52	53	56
48	57	111	119	134	13	39	43	50	42	55	57	60
50	60	117	124	140	11	37	41	48	45	60	62	67
52	62	117	124	140	8	35	38	45	49	66	69	74
54	65	118	125	140	9	35	38	45	53	73	75	81
56	65	119	126	141	8	33	36	43	56	75	78	83
58	70	124	131	146	9	35	39	46	57	78	80	86
60	78	132	140	155	7	37	41	49	60	85	89	95

Table 4. Median and 90, 95, and 99 Percentile Scalar Winds (in sec<sup>-1</sup>) for the Midseason Months at Churchill

Altitude (km)	January				April				July				October			
	50	90	95	99	50	90	95	99	50	90	95	99	50	90	95	99
26	30	78	84	98	3	14	15	18	7	11	12	13	11	25	27	31
28	29	83	90	105	5	17	18	22	9	13	14	15	13	29	31	35
30	30	88	96	111	5	20	22	26	10	14	15	16	16	33	35	40
32	31	92	100	117	5	22	24	28	11	16	17	19	18	37	39	44
34	31	93	101	118	4	22	24	29	14	20	21	23	21	40	43	49
36	30	95	104	122	2	22	24	29	14	20	21	23	24	46	49	55
38	32	100	110	129	1	22	24	29	15	20	21	23	28	49	52	58
40	34	105	115	134	2	24	27	33	18	24	25	27	31	54	57	64
42	32	105	115	134	6	29	32	38	20	29	30	32	34	58	61	67
44	33	109	120	141	7	31	34	41	22	31	32	35	38	63	67	74
46	36	114	125	146	10	36	40	47	24	34	35	38	41	67	71	78
48	36	118	129	152	11	39	43	51	27	39	40	43	44	72	75	83
50	38	119	130	152	13	43	47	56	30	44	46	50	45	74	78	86
52	33	118	129	152	12	43	47	56	34	46	47	51	45	80	84	94
54	39	117	127	149	12	45	49	58	35	49	51	55	42	78	83	92
56	37	110	120	141	12	45	49	58	39	55	57	62	43	78	83	92
58	27	89	98	115	11	47	52	62	41	59	62	67	40	75	80	89
60	31	93	101	118	13	49	54	64	46	65	67	72	39	74	78	88

## References

1. Cole, A. E., Kantor, A.J., and Bertoni, E. A. (1980) Interlevel Correlation of Temperature and Density, Surface to 60 km, AFGL-TR-80-0163.
2. Durst, B. A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.
3. Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM.
4. World Data Center A (1969-1976) Data Report Meteorological Rocket Network Firings, Ashville, NC.
5. Valley, S. L., Sci. Ed. (1965) Handbook of Geophysics and Space Environments, AFCRL.
6. Crutcher, H. L. (1959) Upper Wind Statistics Charts of the Northern Hemisphere, NAVAER 50-1C-535, Vol. I and II.
7. Court, A. (1957) Maximum Variability Level of Winds, Scientific Report No. 2, Contract AF19(604)-2060, AFCRC TN-57-478.
8. Kantor, A. J. (1969) Strong Wind and Vertical Wind Shear Above 30 km, AFCRL-69-0346.
9. DoD (1973) MIL-STD-210B, Climatic Extremes for Military Equipment, Washington, D.C.

## **Appendix A**

**Interlevel Correlation Coefficients of Zonal and  
Meridional Winds for Altitudes up to 60 km**

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island  
 CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

		ASCENSION ISLAND																														
		EAST-WEST WIND ';/SEC WEST +																														
		KM KILOMETERS ABOVE SEA LEVEL																														
		MEAN AVERAGE OF OBSERVED VALUES																														
		MEAN	AVERAGE	STDEV	STANDARD DEVIATION OF VALUES	NUMBER OF VALUES	NUMBER OF VALUES AT EACH ALTITUDE	NUMBER OF VALUES	NUMBER OF VALUES	NUMBER OF VALUES	NUMBER OF VALUES																					
		N	N	N	N	N	N	N	N	N	N																					
2	4	6	8	10	12	14	16	20	22	24	26	28	-	32	34	36	40	42	44	46	48	50	52	54	56	58	60					
4	-3	-5	-4	1	6	9	0	-7	-10	-14	-17	-15	-18	-22	-27	-31	-34	-41	-50	-60	-68	-73	-65	-45	-29	-15	-2	4				
6	37	42	34	67	98	113	130	70	45	52	113	126	102	120	167	139	118	110	111	88	100	139	177	205	204	189	176	173	161			
8	42	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	39	30	26				
10	15	8	-9	30	77																											
12	11	11	-3	-5	37	58	86	87	62	8	20																					
14	-14	-14	-23	-16	15	34	59	67	62	8	20																					
16	-12	-12	-12	-12	12	37	57	10	5	8	20																					
18	-12	-12	-12	-12	12	37	57	10	5	8	20																					
20	-2	16	-14	-10	-16	-10	1	0	4	4	4																					
22	2	22	22	12	17	6	7	14	11	14	16	14	15	13	19	20	19	17	15	18	21	16	14	12	10	8	6	4				
24	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22			
26	15	-18	11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11	-11			
28	1	-23	-4	-5	11	19	9	27	13	-35	-72	-65	-37	34	99																	
30	3	-22	-14	4	18	26	15	39	26	15	26	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29			
32	3	-22	-14	4	18	26	15	39	26	15	39	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26			
34	3	-22	-14	4	18	26	15	39	26	15	39	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26			
36	3	-22	-14	4	18	26	15	39	26	15	39	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26			
38	3	-22	-14	4	18	26	15	39	26	15	39	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26			
40	-9	-22	14	-11	-14	-12	-16	-19	17	-40	-35	-40	-37	2	-1	13	45	58	76													
42	-15	23	3	7	-16	-10	-5	-14	-3	43	22	5	7	-34	-27	-15	4	6	19	57												
44	-15	23	3	7	-16	-10	-5	-14	-3	43	22	5	7	-34	-27	-15	4	6	19	57												
46	-15	23	3	7	-16	-10	-5	-14	-3	43	22	5	7	-34	-27	-15	4	6	19	57												
48	6	3	2	16	-12	-1	-12	-13	-16	-11	19	33	35	19	33	19	33	19	33	19	33	19	33	19	33	19	33	19	33			
50	4	20	-8	0	9	-21	-16	-22	-19	3	22	23	10	-34	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36	-36		
52	-1	34	-16	19	13	-17	-14	-16	-19	-12	-7	5	-17	-36	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31	-31		
54	-12	42	-13	16	15	-14	-15	-15	-16	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15		
56	-14	42	-13	16	15	-14	-15	-15	-16	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15		
58	-5	4	0	6	18	-9	1	-2	-15	-11	-4	2	7	-4	-26	-26	-30	-19	-8	-6	-12	-20	-28	-13	-48	-42	-21	-10	-46	83		

\* \* MULTIPLY TABULAR VALUES BY 0.31 TO OBTAIN CORRELATION COEFFICIENTS

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976																																			
ASCENSION ISLAND																																			
EAST-WEST WIND MYSEC WEST +		KMH KILOMETERS ABOVE SEA LEVEL		MEAN AVERAGE OF OBSERVED VALUES		STDEV STANDARD DEVIATION OF VALUES TIMES 10		N NUMBER OF VALUES AT EACH ALTITUDE		40		36		32		28																			
KP	+JY9	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	40	42	44	46	48	50	52	54	56	58	60					
MEAN	-7	-4	-3	-2	-1	3	3	-1	-4	-5	-9	-9	-11	-12	-15	-16	-17	-17	-13	0	10	20	24	27	30	33	34	36	38	40	37				
STDEV	16	27	24	39	60	55	75	108	83	56	94	102	99	126	147	161	166	159	129	137	157	153	112	103	108	104	96	113	106	110	135				
N	36	36	38	38	36	38	36	38	38	36	34	38	37	38	38	38	38	38	38	36	36	38	38	38	38	38	38	38	38	38	20				
2	-1	6	7	4	40	53	51	18	18	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53			
6	-6	-9	11	18	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53			
10	-14	-14	2	37	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75			
12	-14	-36	-16	23	43	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78			
14	-25	-32	-19	23	38	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50			
16	-29	-16	15	20	37	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57			
20	-24	-10	0	0	7	9	6	10	22	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65			
22	19	-12	-8	-6	-10	-1	-3	-25	-35	-15	-46	-59	-37	-66	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84			
24	67	-2	-1	-1	-1	-3	-25	-35	-15	-46	-59	-37	-66	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84	-84			
26	39	-3	-10	-17	-28	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27	-27			
28	39	-1	6	1	6	2	-15	-15	2	4	-10	-73	-68	-50	-46	-77	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94		
30	26	1	6	2	15	-15	2	4	-10	-73	-68	-50	-46	-77	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94	-94		
32	26	3	5	9	-5	-5	-15	-15	11	11	-2	-75	-72	-56	-39	-71	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59	-59		
34	20	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36			
36	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	-9	
38	1	6	34	15	34	24	19	34	39	28	24	-19	-44	-46	-34	-26	-20	10	71	35	35	35	35	35	35	35	35	35	35	35	35				
40	-34	1	6	34	15	34	24	19	34	39	28	24	-19	-44	-46	-34	-26	-20	10	71	35	35	35	35	35	35	35	35	35	35	35	35			
42	-7	-7	26	7	33	22	8	33	46	37	43	2	-37	-38	-36	-39	-36	-39	-36	-39	-36	-39	-36	-39	-36	-39	-36	-39	-36	-39	-36	-39	-36		
44	-12	-12	-12	23	8	31	25	3	32	17	16	12	46	46	51	48	48	51	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48		
46	-9	-9	-9	-9	19	32	6	-11	15	16	18	18	35	21	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18		
48	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7	-7
50	12	0	3	13	22	27	3	-15	-3	25	10	33	32	5	0	-10	-9	-13	-16	-8	7	24	40	67	91	35	35	35	35	35	35	35	35	35	35
52	1	3	6	15	27	36	11	-10	-2	31	12	35	34	4	-13	-13	-12	-15	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16		
54	1	3	6	15	24	33	17	-16	-2	32	24	36	34	4	-13	-13	-12	-15	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16		
56	-7	31	18	20	26	31	3	-15	-6	32	16	34	32	15	-13	-13	-12	-15	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16		
58	-20	19	10	10	23	31	16	-4	8	22	15	24	22	5	-13	-13	-12	-15	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16		
60	-4	45	39	-1	-12	2	-22	-55	-33	27	4	36	0	-9	-49	-54	-48	-40	-38	-7	8	27	9	12	0	15	31	59	73	81	35	35	35		

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island (Cont.)  
 CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976  
 ASCENSION ISLAND

KM	EAST-WEST WIND H/SEC WEST +			KM KILOMETERS ABOVE SEA LEVEL										
	MEAN			AVERAGE OF OBSERVED VALUES										
	STDEV			STDEV										
N	N NUMBER OF VALUES AT EACH ALTITUDE			N NUMBER OF VALUES AT EACH ALTITUDE										
0	2	4	6	8	10	12	14	16	18	20	22	24	26	28
10	-16	2	7	24	77					30	32	34	36	38
12	-16	10	6	16	55	61	84	74	62	50	42	44	46	48
14	-14	11	17	55	55	56	57	54	52	50	48	52	54	56
16	-15	16	15	47	25	51	56	52	50	48	46	48	50	52
18	-13	13	15	47	25	51	56	52	50	48	46	48	50	52
20	-35	4	0	-3	16	30	37	27	15	13				
22	-30	5	6	-2	4	4	5	-11	-19	-37	74	85	87	89
24	-38	-4	13	8	2	-9	-16	-24	-31	55	69	81	95	97
26	-26	12	19	5	4	-3	-2	-14	-21	-38	50	65	80	87
28	-12	21	5	0	-3	-5	-7	-16	-26	-43	50	65	80	87
30	-3	12	6	-2	-15	-31	-35	-38	-48	-83	15	52	59	65
32	0	6	16	-26	-43	-45	-41	-43	-36	-47	51	64	70	77
34	18	5	16	18	-16	-16	-15	-15	-16	-17	20	35	35	35
36	20	12	13	19	17	19	19	19	19	20	20	35	35	35
38	24	2	8	9	29	19	19	19	19	20	20	35	35	35
40	16	3	11	12	16	17	3	5	-7	0	-22	-33	-37	-36
42	4	6	11	14	10	8	-4	-6	-20	-1	3	-2	-1	-1
44	-11	14	15	10	14	10	-12	-13	-14	-15	16	17	18	19
46	-19	7	12	11	19	14	19	14	14	15	16	17	18	19
48	-16	6	-6	4	15	19	22	14	14	15	16	17	18	19
50	-1	6	-15	-12	-9	5	14	13	8	14	6	-10	-24	-15
52	4	10	-15	-11	-9	-6	2	8	8	23	-1	-11	-17	-14
54	10	10	-16	-11	-7	-6	3	8	8	23	-1	-11	-17	-14
56	-1	2	-6	-4	-5	14	14	15	15	15	15	15	15	15
58	-2	-5	-4	5	14	14	14	14	14	14	14	14	14	14
60	-2	-29	-27	-9	9	28	34	29	33	-8	-21	2	-6	-19
62														

\*\* MULTIPLY TABULAF VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976															
ASCENSION ISLAND															
	EAST-WEST WIND	M/SEC	WEST ↓												
KM MEAN	KN KILOMETERS ABOVE SEA LEVEL	MEAN AVERAGE OF OBSERVED VALUES	STDEV STANDARD DEVIATION OF VALUES TIMES 10	N NUMBER OF VALUES AT EACH ALTITUDE	30	32	34	36	40	42	44	46	50	52	
0.079	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30
-7	-6	-5	-4	-1	5	10	13	4	-1	-6	-11	-12	-11	-7	-7
19	40	50	50	60	74	76	81	51	41	109	159	172	151	112	130
53	53	53	53	53	53	53	53	53	53	53	51	51	54	54	54
2	-2	7	8	11	26	27	44	10	25	18	25	81	11	11	11
6	8	11	11	16	16	16	16	12	12	12	12	12	12	12	12
12	17	17	18	18	26	26	26	17	17	17	17	17	17	17	17
14	16	16	16	16	26	26	26	16	16	16	16	16	16	16	16
20	-19	32	16	13	18	12	6	-22	11	49	13	5	43	69	93
22	-15	26	11	8	19	16	16	2	-13	-1	36	14	57	74	79
24	24	24	11	9	22	22	22	17	-11	-1	16	16	16	16	16
30	-2	0	-6	-3	21	24	16	15	3	8	17	42	59	63	63
36	7	-26	-17	-16	-2	3	15	29	-2	-28	-36	-36	-15	2	51
32	26	-32	-8	-2	-2	-13	-13	44	32	-5	-35	-78	-74	-42	36
38	32	26	13	13	13	13	13	14	23	-4	-35	-78	-74	-42	36
44	42	44	14	9	7	-12	-22	-16	-9	26	14	19	-29	-46	36
49	2	1	6	15	-4	-5	-6	8	6	0	-25	-39	-58	-53	-63
55	52	55	13	17	19	4	4	-11	-7	30	26	23	15	16	17
58	-31	-7	-13	-13	-13	-15	-15	-14	-12	-1	40	39	30	16	16
64	-6	-20	-15	-32	5	13	8	2	-23	-28	-20	24	41	42	46

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976											
ASCENSION ISLAND											
	NORTH-SOUTH WIND M/SEC		SOUTH +		KM KILOMETERS ABOVE SEA LEVEL		MEAN AVERAGE OF OBSERVED VALUES		STDV STANDARD DEVIATION OF VALUES TIMES 10		N NUMBER OF VALUES AT EACH ALTITUDE
KM	MEAN	STDV	MEAN	STDV	MEAN	STDV	MEAN	STDV	MEAN	STDV	N
0.079	2	4	6	4	10	12	14	16	20	22	24
MEAN	0	0	0	0	-2	-1	-3	-1	0	1	0
STDV	1.15	1.7	2.5	2.6	3.1	3.9	4.2	5.0	5.6	6.1	7.0
N	62	43	43	43	43	43	43	43	43	43	43
2	-1.15	1.6	-3.9	4.6	-1.6	-2.3	-1.3	-0.6	6.1	-1.6	60
6	-2.0	-1.0	-2.3	1	-2.0	-2.0	-0.6	6.1	-1.6	-1.0	2
10	-1.1	-2.6	-2.0	-0	-0.6	6.1	-1.6	-1.0	-1.6	-1.0	2
12	-1.4	-2.3	-2.9	-1.6	-3.8	6.8	-1.6	-1.0	-1.6	-1.0	2
16	-1.3	-2.0	-2.7	-1.5	-3.1	6.1	-1.6	-1.0	-1.6	-1.0	2
20	-1.7	-1.5	-2.5	-1.6	-2.2	6.9	-1.6	-1.0	-1.6	-1.0	2
24	-1.5	-2.6	-2.9	-1.6	-3.0	6.1	-1.6	-1.0	-1.6	-1.0	2
28	-1.9	-2.6	-2.9	-1.4	-2.2	6.9	-1.6	-1.0	-1.6	-1.0	2
32	-1.5	-2.6	-2.9	-1.6	-3.0	6.1	-1.6	-1.0	-1.6	-1.0	2
36	-2	-1.5	-2.3	1.6	-2	6	-1.6	-1.0	-1.6	-1.0	2
40	-1.0	-1.6	-1.9	1.5	-1.3	-3	-0.6	-0.2	-0.3	-0.1	1.9
44	-1.6	-1.7	-2.1	-1.4	-1.3	-3	-0.6	-0.2	-0.3	-0.1	1.9
48	-3	-0.6	-1	0	1.1	7	-2.1	-1.9	-2.5	1.5	64
52	2.0	1.7	2.6	-2.1	-2.4	-3.6	-1.3	-0.4	6	-0.6	29
56	1.6	1.7	2.6	-2.1	-2.4	-3.6	-1.3	-0.4	6	-0.6	29
60	-2	1.5	-1.5	-1.2	-1.3	-2.5	-1.3	-0.4	6	-0.6	29
64	1.5	-1.5	-1.2	-1.3	-2.5	-0	3	1.4	-1.2	-1.3	29
68	1	-2.3	-2.4	-0	-6	-1.1	10	3	6	0	31
72	-1.0	-2	-9	-10	7	1.2	-9	16	-15	-16	19
76	-1.6	-2	-8	2.1	2.5	-1.0	2.6	-1.1	2.5	-1.0	19
80	-1.4	-2	-8	2.4	3.5	-1.6	2.6	-1.1	2.5	-1.0	19
84	-1.9	-2.6	-2.4	4	6	0	-5	-14	7	-13	19
88	-3.3	-2.6	-2.4	7	2.5	4	6	0	-5	-14	19
92	-1.9	-2.6	-2.4	7	2.5	4	6	0	-5	-14	19

\*\* MULTIPLY TABULAF VALUES BY 0.011 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976											
ASCENSION ISLAND											
NORTH-SOUTH WIND H/SEC SOUTH *											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN AVERAGE OF OBSERVED VALUES											
STDV STANDARD DEVIATION OF VALUES TIMES 10											
N NUMBER OF VALUES AT EACH ALTITUDE											
FM .079	2	4	6	8	10	12	14	16	20	22	24
MEAN 3	1	-1	0	1	-1	-4	-2	0	0	1	-1
STDV 16	19	26	32	41	60	45	29	21	22	31	24
N 36	36	36	36	36	36	36	36	36	36	36	36
2.6 -2.3 **	1.0	4.9	3.1	3.1	1.9	1.0	1.0	1.0	1.0	1.0	1.0
8 -6	-3.3	-1.2	-3	52	5.2	6.9	6.9	6.9	6.9	6.9	6.9
10 4.4	-3.3	-1.2	-3	52	5.2	6.9	6.9	6.9	6.9	6.9	6.9
12 -1.6	5	-1.0	-2.5	7	6.9	6.9	6.9	6.9	6.9	6.9	6.9
14 -2.4	-2.4	-1.2	1.8	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
16 -1.6	-2.4	-1.2	1.8	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
20 -1	1.1	-2	1.3	4	-3	-1.3	-1.7	-4	22	-1.2	-1.2
22 -1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
24 -1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6
26 -2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
30 1.7	-6	8	1.6	3.1	2.0	-5	-3	-1	-3	2	7
32 -2.7	-1	2.0	-1.5	2.0	1.7	-1	1	1	1	1	1
34 -2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
36 -1.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
40 1.0	-2.2	2	-2	1	-6	-2.9	-3.1	2	17	-12	14
42 -1.0	-2.1	9	-1.5	-5	-1.2	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1
44 -1.0	-2.5	3.5	-1.5	-2	-1.2	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3
46 -1.4	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
50 -3.3	-3	-1.9	1.5	2.2	1.9	1.7	1.7	1.7	1.7	1.7	1.7
52 -1.3	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4	-3.4
54 -2.2	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6	-3.6
56 -1.6	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
60 -2.1	-9	-4	-16	36	25	5	2	4.5	2	17	42

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

## ASCENSION ISLAND

KM	NORTH-SOUTH WIND M/SEC	SOUTH *	KM KILOMETERS ABOVE SEA LEVEL																												
			MEAN			AVERAGE OF OBSERVED VALUES			STDEV			STANDARD DEVIATION OF VALUES TIMES 10																			
N	NUMBER OF VALUES AT EACH ALTITUDE																														
KM	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
MEAN	2	-1	-1	-3	-3	-2	-1	0	0	0	-1	0	1	1	0	0	1	2	4	3	4	1	-1	-4	-3	-4	-4	-4	1		
STDEV	44	25	31	36	40	60	56	52	37	27	25	29	25	26	30	34	32	36	39	49	66	14	70	76	76	84	92	106	103		
N	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	53	53	53	53	53	53	53	53	53	53	49	43	36		
	2	9	46	62	62	16	21	54	52	50	45	42	42	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40		
	10	26	7	15	-6	54	12	12	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	
	12	12	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	14	14	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	16	16	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	18	18	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	20	20	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	22	22	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	24	24	24	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	26	26	26	26	26	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	28	28	28	28	28	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	30	30	30	30	30	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	32	32	32	32	32	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	34	34	34	34	34	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	36	36	36	36	36	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	38	38	38	38	38	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	40	40	40	40	40	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	42	42	42	42	42	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	44	44	44	44	44	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	46	46	46	46	46	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	48	48	48	48	48	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	50	50	50	50	50	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	52	52	52	52	52	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	54	54	54	54	54	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	56	56	56	56	56	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	58	58	58	58	58	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		
	60	60	60	60	60	15	52	50	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52		

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Meridional Winds from the Surface to 60 km at Ascension Island (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

ASCENSION ISLAND

NORTH-SOUTH WIND M/SEC SOUTH +

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDEV STANDARD DEVIATION OF VALUES TIMES 10  
N NUMBER OF VALUES AT EACH ALTITUDE

km	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	50	52	54	56	58	60	
MEAN	.079	2	-1	0	2	1	-1	-1	-1	0	0	0	0	-2	-2	-1	0	1	1	0	2	3	-1	-3	-4	-2	-3	-1	3	
STDEV	3	1	-1	0	2	1	-1	-1	-1	0	0	0	0	-2	-2	-1	0	1	1	0	2	3	-1	-3	-4	-2	-3	-1	3	
N	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	
2	32	46	42	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	
6	14	-19	-19	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	
10	-5	-12	-24	14	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	
14	-13	-3	-11	12	54	79	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	
18	-15	-5	-9	42	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	
20	-2	2	4	-1	-2	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	
22	-31	-21	4	-15	-11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
24	-30	-21	4	-15	-11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
28	-6	-12	-10	-12	12	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	
30	-3	-20	-5	-6	-9	4	-19	-13	-21	6	7	20	-15	-44	-10															
32	-16	-1	22	-7	-12	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	
34	-16	-1	22	-7	-12	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	
36	-16	-1	22	-7	-12	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10	
38	-12	-15	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	
40	12	7	0	-6	2	-13	-24	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	
42	-12	-1	17	2	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	
44	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	
46	24	13	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	
48	16	6	-3	-8	4	-5	-2	-1	-1	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2
50	16	6	-3	-8	4	-5	-2	-1	-1	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2	-2
52	-4	9	9	-5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
54	-7	-32	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	
56	16	-21	-17	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	-14	
60	-24	-16	20	8	11	4	-5	-12	-16	13	2	-2	-16	23	39	6	-3	-1	17	-11	12	15	1	14	21	-6	-7	-16	26	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Zonal Winds from the Surface to 60 km at Kwajalein  
CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

		EAST-WEST WIND M/SEC		WEST +	
		KH KILOMETERS ABOVE SEA LEVEL			
		MEAN AVERAGE OF OBSERVED VALUES		STDEV STANDARD DEVIATION OF VALUES TIMES 10	
		N NUMBER OF VALUES AT EACH ALTITUDE			
XW	000	2	4	6	8
MEAN	-6	-6	-9	-7	-3
STDEV	21	41	53	65	69
N	51	51	51	51	51
2	2.9	0.6	0.2	0.1	0.0
4	6.6	1.3	1.7	1.7	1.6
6	10	1.2	1.5	1.5	1.4
12	12.4	1.7	1.9	1.9	1.8
18	18.6	2.0	2.1	2.1	2.0
20	20.5	2.0	2.2	2.2	2.1
22	22.7	2.3	2.3	2.3	2.2
24	24.9	2.5	2.5	2.5	2.4
30	30.7	2.8	2.8	2.8	2.7
36	36.5	3.0	3.0	3.0	2.9
42	42.3	3.2	3.2	3.2	3.1
48	48.1	3.4	3.4	3.4	3.3
54	53.9	3.6	3.6	3.6	3.5
60	59.7	3.8	3.8	3.8	3.7

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Zonal Winds From the Surface to 60 km at Kwajalein (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

## KWAJALEIN

	EAST-WEST WIND M/SEC		WEST *	
KM	KILOMETERS ABOVE SEA LEVEL			
MEAN	MEAN AVERAGE OF OBSERVED VALUES			
STDEV	STDEV STANDARD DEVIATION* OF VALUES TIMES 10			
N	N NUMBER OF VALUES AT EACH ALTITUDE			
2	66 * 43			
6	50 * 50			
8	52 * 52			
10	73 * 73			
12	77 * 77			
14	67 * 67			
16	89 * 89			
18	35 * 35			
20	33 * 33			
22	58 * 58			
24	56 * 56			
26	50 * 50			
28	49 * 49			
30	93 * 93			
32	97 * 97			
34	93 * 93			
36	93 * 93			
38	66 * 66			
40	66 * 66			
42	74 * 74			
44	69 * 69			
46	66 * 66			
48	65 * 65			
50	86 * 86			
52	90 * 90			
54	86 * 86			
56	86 * 86			
58	92 * 92			
60	92 * 92			

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Zonal Winds from the Surface to 60 km at Kwajalein (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976												
KWAJALEIN												
	EAST-WEST WIND	M SEC	WEST +	KM	KILOMETERS ABOVE SEA LEVEL	MEAN	AVERAGE OF OBSERVED VALUES	STDEV	STANDARD DEVIATION OF VALUES TIMES 10	N	NUMBER OF VALUES AT EACH ALTITUDE	
KM	2	4	6	8	10	12	14	16	18	20	22	24
MEAN	-8	-7	-5	-2	0	3	5	0	-8	-12	-14	-15
STDV	24	40	39	47	46	50	72	95	56	45	61	101
N	62	42	42	42	42	42	42	42	42	42	42	123
	2	54	**	58	58	58	58	58	58	58	58	115
	6	6	6	6	6	6	6	6	6	6	6	165
	9	-14	20	66								165
	10	-41	-35	-2	41	84						165
	12	12	12	-49	-18	21	61	39				165
	15	-12	-12	-20	-17	21	61	39				165
	18	-16	-16	-39	-37	13	13	13				165
	20	20	23	5	12	27	7	-1	-3	8	36	
	22	22	22	-26	-8	5	20	33	38	47	29	32
	25	25	25	-45	-15	5	20	33	38	47	29	32
	28	28	28	-32	-9	-5	20	33	38	47	29	32
	30	30	30	-38	-21	-2	28	46	47	49	26	31
	32	32	32	-29	-44	-16	-3	23	41	45	31	24
	35	35	35	-34	-18	-8	17	13	13	13	13	13
	38	38	38	-24	-25	-17	-19	-19	-19	-19	-19	-19
	41	41	41	-42	-42	-42	-42	-42	-42	-42	-42	-42
	44	44	44	-42	-42	-42	-42	-42	-42	-42	-42	-42
	46	46	46	-46	-46	-46	-46	-46	-46	-46	-46	-46
	48	48	48	-48	-48	-48	-48	-48	-48	-48	-48	-48
	50	50	50	-50	-50	-50	-50	-50	-50	-50	-50	-50
	52	52	52	-52	-52	-52	-52	-52	-52	-52	-52	-52
	55	55	55	-55	-55	-55	-55	-55	-55	-55	-55	-55
	58	58	58	-58	-58	-58	-58	-58	-58	-58	-58	-58
	60	60	60	-60	-60	-60	-60	-60	-60	-60	-60	-60

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Zonal Winds from the Surface to 60 km at Kwajalein (Cont)

## CORRELATION AT PAIRS OF ELEVELS FOR OCT 1969-1976

## KWAJALEIN

		EAST-WEST WIND M/SEC WEST *															
		KM KILOMETERS ABOVE SEA LEVEL					MEAN AVERAGE OF OBSERVED VALUES					STDEV STANDARD DEVIATION OF VALUES TIMES 10					
		N	NUMBER OF VALUES AT EACH ALTITUDE														
KM																	
MEAN	0.088	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	
-5	-7	-6	-4	-1	3	7	11	3	-4	-5	-9	-13	-16	-15	-14	-12	-10
STDV	2.1	4.3	3.8	4.4	5.7	7.2	6.6	9.6	6.3	5.6	8.2	11.3	13.4	13.7	12.4	13.1	14.6
N	36	36	36	36	36	36	36	36	35	35	36	36	36	36	36	36	36
2	4.8	**	7.2	14	24	19	77	8	-10	1	9	77	10	27	11	27	51
6	-16	-15	-14	-13	-23	-59	51	58	72	47	51	65	32	22	47	23	51
10	-12	-35	-6	-4	28	59	51	58	72	47	51	65	32	22	47	23	51
14	-16	-15	-14	-13	-29	55	46	51	65	32	22	47	23	51	58	32	22
18	-18	-17	-16	-15	-23	52	45	51	65	32	22	47	23	51	58	32	22
20	-3.3	-5	26	46	32	57	61	64	51	42	31	56	84	95	73	55	73
22	-3.9	-17	11	44	30	44	56	67	46	31	56	84	95	73	55	73	63
26	-3.4	-25	-10	49	30	37	53	66	38	19	77	93	95	73	55	73	63
28	-3.0	-26	-19	33	26	11	22	28	21	-12	36	55	73	55	73	63	63
30	2	-33	-26	16	13	-16	-19	-19	-14	-45	-14	-2	17	32	73	73	73
32	1.3	-12	-20	-13	-15	-27	-35	-43	-24	-33	-47	-42	-29	-23	-13	35	83
36	2.0	1.9	-21	-21	-21	-35	-47	-57	-29	-33	-47	-42	-36	-31	-23	35	85
38	1.7	1.3	-23	-23	-23	-31	-48	-52	-22	-15	-41	-36	-31	-27	-17	35	85
38	-1.1	1.6	-16	-16	-16	-23	-31	-37	-21	-13	-42	-37	-31	-27	-17	35	85
40	-2.6	1.5	17	-23	-5	27	16	-19	-13	7	-3	-23	-39	-35	-36	-16	11
42	-2.5	7	12	-21	6	36	32	-6	-11	9	-3	-14	-9	-13	-2	19	40
44	-2.4	2	7	-21	6	21	21	-2	-11	-5	-17	-17	-10	-13	-2	19	40
46	-1.9	-3	1.1	2	2	37	37	-2	-11	-5	-17	-17	-10	-13	-2	19	40
48	-1.9	-3	1.1	2	2	37	37	-2	-11	-5	-17	-17	-10	-13	-2	19	40
50	-3.7	-16	6	21	37	54	51	39	25	12	49	42	39	41	38	24	19
52	-3.2	-1.8	1	23	38	47	56	34	25	47	49	46	50	39	34	24	13
54	-2.2	-2.4	-1.3	23	35	43	52	34	25	47	49	46	50	39	34	24	13
56	-2.2	-1.4	-1.2	23	35	43	52	34	25	47	49	46	50	39	34	24	13
58	-1.7	-1.7	-1.6	12	10	11	11	6	-14	33	28	31	50	56	60	48	34
60	-2.2	-1.7	-1	3	4	6	3	-3	5	-13	37	35	27	31	46	52	54

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein

\*\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976													
KWAJALEIN													
KM	NORTH-SOUTH WIND H/SEC SOUTH +												
MEAN	KM KILOMETERS ABOVE SEA LEVEL												
STDEV	MEAN AVERAGE OF OBSERVED VALUES												
N	STDEV STANDARD DEVIATION OF VALUES TIMES 10												
	N NUMBER OF VALUES AT EACH ALTITUDE												
0	0.006	2	4	6	8	10	12	14	16	18	20	22	24
-3	0	0	0	0	1	2	1	-1	1	0	1	2	1
20	2.0	2.7	3.4	4.7	5.3	6.1	7.6	5.5	2.6	2.6	3.1	3.3	3.5
50	5.0	5.0	5.0	5.0	5.0	5.0	5.0	4.9	4.9	4.9	4.9	5.0	5.0
2	4.3	4.6	2.9	2.7	1.5	5.3	4.1	4.6	4.7	4.7	5.1	5.3	5.7
6	6.6	2.9	-7	15	53	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
10	1.0	2.8	4	1	25	62	1.6	1.6	1.6	1.6	1.6	1.6	1.6
14	1.2	1.9	6	-6	1.3	4.5	7.0	6.7	5.2	4.9	4.9	4.9	4.9
16	1.6	3.0	2.5	6	1.8	4.7	6.0	5.2	4.9	4.9	4.9	4.9	4.9
20	2.0	1.1	4	-4	-11	4	2	10	10	-2	-14	-14	-14
22	2.2	-1.7	-5	1	-3	-12	1.7	2.0	1.0	-1.0	-1.0	-1.0	-1.0
24	2.4	-1.2	-1.2	1.4	1.4	-1.2	1.3	2.0	1.9	1.9	1.9	1.9	1.9
26	2.6	-1.2	-1.2	0	0	-1.2	0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0
30	3.0	0	1.9	-4	-9	5	-2	4	3	1.1	0	2.5	3
32	3.2	0	1.7	1.5	-1.6	-1.7	-6	-1.7	-1.2	0	2	-2.0	-2.0
36	3.6	-0.9	-0.9	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3
38	3.8	-0.9	-0.8	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1	-1.1
40	4.0	2.6	2.4	-2	-34	-6	-1.3	-1.5	-1	-14	2	-3.0	-1.3
42	4.2	-3.5	1.3	-1.1	1.7	2.0	2.5	3.7	9	1.1	-7	1.1	-2.0
44	4.4	-4.5	1.5	-1.9	1.3	1.5	1.8	2.0	1.3	1.3	1.6	1.6	1.6
46	4.6	-4.2	1.6	0.8	1.3	-2.0	1.5	2.7	1.7	-3	1.7	1.7	1.7
48	4.8	-4.2	1.6	1.1	1.6	-1.5	-1.3	1.1	-1	-1	1.6	-1.6	1.6
50	5.0	-3.9	-1.0	1.3	0	-1.7	-4.3	-3.4	-16	-12	-12	-12	-12
52	5.2	-3.7	0	-2.3	-4.3	-4.3	-16	-3.2	-11	-12	-6	-17	-2.0
54	5.4	-2.7	1.5	-2.3	-4.3	-4.3	-21	-16	-16	-16	-22	-22	-22
56	5.6	-2.7	2.0	1.3	-2.3	-4.3	-3.2	-13	-12	-12	-22	-22	-22
58	5.8	-2.6	1.2	1.4	3.3	-1.7	-1.6	-1.6	-1.6	-1.6	-3.2	-3.2	-3.2
60	6.0	0	-6	6	12	4.5	-2	11	11	6	-6	15	-7

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A4. Meridional Winds from the Surface to 60 km at Kwajalein (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

KWAJALEIN

NORTH-SOUTH WIND M/SFC SOUTH +

KH MEAN STDV N	KH KILOMETERS ABOVE SEA LEVEL										KH MEAN AVERAGE OF OBSERVED VALUES										KH STDEV STANDARD DEVIATION OF VALUES TIMES 10										KH N NUMBER OF VALUES AT EACH ALTITUDE																					
	2000					3000					4000					5000					6000					7000					8000																					
	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	-	54	56	58	60																						
2.4	4.4	**	3.2	3.0	3.4	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.0	-	4	4	2	1																							
6.6	-5.5	-1.6	3.0	8.4	-9	3.4	8.4	8	4	2	1.6	3.6	5.5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10																				
12.4	31	20	-1.6	12	20	6.9	2.1	2.4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0																		
14.6	12	2.1	2	2.3	3.1	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6																	
18.6	-1.9	2	-7	-2.7	-1.1	-1.8	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3																	
20.0	22	15	-1.2	-2	1.5	1.4	7	1.6	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4															
22.4	-1.5	-5	1.6	2.4	9	6	1.3	9	9	8	3.4	-3.5	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1														
24.6	-1.9	-2.9	-1.6	-1.8	-2.1	-1.0	-1.3	-0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0															
26.6	14	2	-1.1	0	-1.0	-1.3	-0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																	
30.6	-1.2	-11	1	2.2	1.4	-1.9	-4.5	-4.0	-2.3	1.6	-24	12	-25	-19	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5															
32.6	-1.9	-1.6	1.2	2.5	1.6	2.1	-3	-1.5	6	5	-8	6	13	0	-36	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3															
34.6	13	-1.3	1.2	1.2	-1.4	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6																	
36.6	-1.7	1.3	-1.2	-1.4	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6																	
38.6	-1.1	-1.1	-1.4	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6																	
40.6	-7	-8	-1.5	7	3.0	2.6	17	10	30	-4	2	0	3	21	1	2	7	-17	-36	26	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4												
42.6	-1.4	-1.5	-2.6	-4	-1.2	-3	-4	1.1	4.3	-1	-10	-1.1	-5	-35	5	12	12	6	-21	-34	24	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51											
44.6	-1.6	-2.5	-1.6	-5	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6														
46.6	32	27	-1.5	-1.6	-1.0	1.7	2.2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9										
50.6	-1.6	15	6	-4.2	-3.3	-3.1	-10	3	-9	11	-8	-16	22	-26	-23	-6	-19	-4	13	9	-21	-24	0	18	46	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50								
52.6	-2.0	10	2.2	-1.4	-5	-7	-6	-9	-5	-3	6	-18	-15	-5	-9	6	-32	-31	-5	12	22	14	-15	-31	-35	33	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57						
54.6	-1.0	13	3.2	-2.2	-3.2	-1.2	-3.2	-2.6	-2.6	-1.6	-2.5	-1.1	-5.6	-2.4	-2.3	-6	-2.3	-5	-1.7	-1	-15	-9	21	14	13	2	7	10	8	6	-23	-20	18	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
56.6	-9	-2.9	1.3	3.2	1.2	-3.2	-3.2	-2.6	-2.6	-1.6	-2.5	-1.1	-5.6	-2.4	-2.3	-6	-2.3	-5	-1.7	-1	-15	-9	21	14	13	2	7	10	8	6	-23	-20	18	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	
60.6	-4	-23	-29	1.3	9	-27	-5	-1	-16	5	6	28	12	18	7	11	29	18	16	3	-10	-3	6	-10	-17	-2	-26	-33	-37	-29	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A4. Meridional Winds from the Surface to 60 Km at Kwajalein (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976 KWAJALEIN												
KM	NORTH-SOUTH WIND			MASEC			SOUTH			+		
	KM	KILOMETERS ABOVE SEA LEVEL	MEAN	AVERAGE OF OBSERVED VALUES	STDV	STANDARD DEVIATION OF VALUES TIMES 10	N	NUMBER OF VALUES AT EACH ALTITUDE				
0.008	2	4	6	8	10	12	14	16	18	20	22	24
0.06	10	22	3	35	63	81	67	52	37	30	32	34
0.12	12	19	-10	-21	15	45	63	52	37	30	32	34
0.18	14	16	-15	-23	28	57	54	44	37	30	32	34
0.24	16	12	39	16	37	56	53	43	37	30	32	34
0.30	20	11	30	6	-2	19	-4	-13	-12	-11	-10	-9
0.36	22	-3	23	-16	-1	35	16	4	26	25	10	2
0.42	24	6	4	-3	23	15	16	12	12	11	2	2
0.48	26	12	17	19	-2	16	17	13	6	10	11	6
0.54	28	12	19	5	16	17	13	6	10	11	1	5
0.60	30	-6	20	37	13	0	-11	-17	-12	-4	9	16
0.66	32	14	40	-27	-34	-25	0	1	-15	-5	-22	-31
0.72	34	-16	-35	-10	-3	-7	-5	-15	-14	-11	-10	-9
0.78	36	-7	-12	-10	-15	-2	13	-16	-14	-12	-13	-12
0.84	38	-7	-1	17	-14	9	17	2	1	-28	-21	0
0.90	40	18	11	19	19	14	25	8	-3	9	36	-53
0.96	42	13	1	-2	-12	-17	-6	-6	-19	-11	21	-34
1.02	44	-13	-15	2	-16	-3	-6	-10	-22	-12	-16	-17
1.08	46	-14	-11	16	24	9	3	10	8	6	12	11
1.14	48	-14	11	30	23	8	17	-5	-16	-12	14	13
1.20	50	-1	-15	9	-9	3	-4	-17	-10	-15	-11	31
1.26	52	-16	-23	10	-2	5	-22	-27	-16	-30	-14	-30
1.32	54	23	-25	0	12	-1	-2	-16	-18	-9	-3	-2
1.38	56	23	25	-32	10	28	30	15	18	4	2	1
1.44	58	29	17	-32	-16	0	10	16	15	-1	15	12
1.50	60	16	-22	-23	-12	-6	8	32	30	11	-17	16

\*\* MULTIPLY TABULAR VALUES BY 0.001 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds from the Surface to 60 km at Wallops Island

CORRELATION AT PAIRS OF LEVELS FOR JAN 1963-1976												
		WALLOPS ISLAND, VA		EAST-WEST WIND H/SEC		WEST +		KM KILOMETERS ABOVE SEA LEVEL		MEAN STANDARD DEVIATION OF VALUES TIMES 10		N NUMBER OF VALUES AT EACH ALTITUDE
STDEV		MEAN		STDEV		MEAN		STDEV		MEAN		STDEV
KM	N	KM	N	KM	N	KM	N	KM	N	KM	N	N
0.015	2	4	6	6	10	12	11	16	20	22	24	26
MEAN	1	12	21	26	34	31	33	23	15	11	11	14
STDEV	3.6	6.1	9.0	12.3	15.0	12.0	14.9	9.6	8.6	7.6	7.4	8.1
N	44	44	44	43	41	29	25	22	21	19	22	42
2	25	**	85	85	85	94	85	77	65	57	61	43
6	39	59	59	59	59	94	85	76	66	57	61	43
10	-4	31	60	77	91	**	75	75	76	76	76	76
12	-21	16	32	44	65	77	77	75	75	75	75	75
16	-21	17	49	62	73	69	66	75	75	75	75	75
18	-13	-29	32	51	53	72	62	75	75	75	75	75
20	-18	-34	-5	12	12	49	52	76	95	93	93	93
22	-13	-17	-14	14	55	67	61	89	93	98	95	95
26	-17	-16	-14	18	20	39	46	42	67	73	80	80
28	12	17	19	26	30	45	46	32	61	72	83	95
30	14	18	26	32	44	39	27	20	51	51	51	51
32	14	18	23	37	41	48	38	25	53	53	53	53
36	14	16	24	38	42	46	41	42	52	52	52	52
38	11	22	37	40	41	46	36	46	52	52	52	52
40	1	18	29	33	30	26	36	25	12	36	43	46
42	2	19	23	24	20	9	16	8	-3	23	19	16
44	-2	19	18	18	13	13	15	9	-5	15	13	13
46	-2	18	18	17	14	-13	15	4	2	-21	13	13
48	-2	16	16	14	13	-16	0	7	9	-16	13	13
50	0	6	6	1	-20	-7	7	9	14	-2	-11	-11
52	-3	15	12	5	-13	-3	12	13	13	-16	-16	-16
54	-1	13	16	6	-16	-9	15	15	15	-16	-16	-16
56	-1	23	20	14	15	-16	-10	5	14	-16	-16	-16
58	0	23	19	14	15	-16	-10	4	1	16	16	16
60	0	26	31	26	32	-4	-1	9	2	-6	-13	9
62	0	28	31	26	32	-4	-1	9	2	-6	-13	9
64	0	28	31	26	32	-4	-1	9	2	-6	-13	9

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976											
WALLOPS ISLAND, VA											
EAST-WEST WIND M/SEC			WEST +			N					
KM			KM KILOMETERS ABOVE SEA LEVEL						HEAVY AVERAGE OF OBSERVED VALUES		
STDEV			STDEV STANDARD DEVIATION OF VALUES TIMES 10						NUMBER OF VALUES AT EACH ALTITUDE		
0.015	2	4	6	8	10	12	14	16	18	20	22
MEAN	9	15	17	21	26	22	15	9	4	1	2
STDEV	33	53	73	107	115	146	130	91	73	63	43
N	53	53	53	52	51	49	48	46	49	46	48
2	40	32	62	74	66	46	46	48	49	49	48
6	120	42	63	74	66	46	46	48	49	49	48
10	9	35	54	77	66	46	46	48	49	49	48
14	-12	-23	41	62	73	65	63	60	57	54	52
18	-15	-25	50	59	62	63	63	60	57	54	52
20	0	15	26	30	31	40	39	57	65	74	83
22	-22	12	19	23	27	36	38	42	47	62	76
26	-14	-13	23	35	50	27	42	43	49	52	58
30	1	16	12	14	17	27	19	33	32	34	37
34	-10	-26	15	12	10	24	24	26	26	26	26
38	-14	-17	22	12	10	24	24	26	26	26	26
42	-7	23	26	20	17	31	22	33	37	36	35
46	-4	-12	15	12	10	24	24	31	31	31	31
50	-1	30	37	30	17	26	24	26	35	34	33
54	-6	12	29	34	29	40	40	44	42	45	44
58	-6	17	35	34	35	36	36	37	39	37	35
60	-11	18	31	52	44	48	48	50	52	50	47

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976																																																				
WALLOPS ISLAND, VA																																																				
EAST-WEST WIND 4/SEC WEST +																																																				
KM	KILOMETERS ABOVE SEA LEVEL					MEAN AVERAGE OF OBSERVED VALUES																																														
	STDEV STANDARD DEVIATION OF VALUES TIMES 10					N NUMBER OF VALUES AT EACH ALTITUDE																																														
0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60																						
MEAN	0	5	6	9	10	11	12	10	4	-1	-5	-9	-11	-14	-16	-18	-20	-22	-24	-25	-32	-35	-39	-41	-42	-45	-49	-52	-56	-57	-59																					
STDEV	2.1	4.6	5.6	6.5	9.2	10.6	12.7	10.2	6.2	4.0	3.5	2.6	3.4	3.0	3.6	3.0	3.6	3.7	4.0	4.4	4.6	4.5	5.6	6.8	6.1	6.6	9.4	9.5	9.8	10.6																						
N	4.6	4.7	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.3	4.2	4.6	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7																						
2	2.9	4.3	6.6	8.3	11.5	15.2	18.6	12.2	8.4	5.2	10.5	15.5	18.2	15.0	18.7	15.8	18.5	17.2	18.0	17.5	18.8	19.2	18.5	18.0	17.5	17.0	16.5	16.0	15.5	15.0	14.5																					
6	8	10	12	14	16	18	20	18	14	10	12	14	16	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14	16																					
10	12	14	16	18	20	22	24	22	18	14	16	18	20	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14																				
14	16	18	20	22	24	26	28	24	20	16	18	20	22	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14																			
18	20	22	24	26	28	30	32	26	22	18	20	22	24	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14																		
22	24	26	28	30	32	34	36	32	28	24	26	28	30	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14															
26	28	30	32	34	36	38	40	34	30	26	28	30	32	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14														
30	32	34	36	38	40	42	44	36	32	28	30	32	34	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14													
34	36	38	40	42	44	46	48	40	36	32	34	36	38	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14											
38	40	42	44	46	48	50	52	42	38	34	36	38	40	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14										
42	44	46	48	50	52	54	56	44	40	36	38	40	42	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14									
46	48	50	52	54	56	58	60	50	46	42	44	46	48	50	48	46	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14						
50	52	54	56	58	60	62	64	52	48	44	46	48	50	52	50	48	46	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14					
54	56	58	60	62	64	66	68	54	50	46	48	50	52	54	52	50	48	46	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14				
58	60	62	64	66	68	70	72	60	56	52	54	56	58	60	58	56	54	52	50	48	46	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14	
62	64	66	68	70	72	74	76	62	58	54	56	58	60	62	60	58	56	54	52	50	48	46	44	42	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2	0	2	4	6	8	10	12	14

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1970

WALLOPS ISLAND, VA

KM MEAN STDV N	EAST-WEST WIND M/SEC	WEST *	N NUMBER OF VALUES AT EACH ALTITUDE									
			KM KILOMETERS ABOVE SEA LEVEL									
			MEAN AVERAGE OF OBSERVED VALUES STDEV STANDARD DEVIATION OF VALUES TIMES 10									
0.115	2	4	6	8	10	12	14	16	18	20	22	24
0	5	9	13	16	21	24	23	17	9	5	4	6
31	63	96	104	105	133	147	150	95	67	55	54	76
N	43	41	42	43	41	40	39	39	36	38	45	45
249	90	96	82	70	63	91	70	42	47	53	52	54
10	-7	4.8	5.9	6.9	8.8	9.2	9.6	9.1	8.4	8.7	9.0	9.6
14	-15	4.5	5.5	6.8	8.6	9.2	9.6	9.1	8.4	8.7	9.0	9.6
16	1.5	3.9	4.6	6.2	7.5	7.4	7.6	8.3	9.0	9.2	9.5	9.6
20	2.2	4.3	4.2	4.7	6.1	5.1	5.6	7.3	8.4	9.1	9.2	9.6
22	2.1	3.7	3.9	4.9	5.7	5.3	6.7	7.6	6.6	7.2	7.4	7.6
24	1.5	3.0	3.4	4.9	4.9	4.8	6.1	7.6	7.6	7.2	7.4	7.6
26	2.0	2.5	2.5	2.6	2.0	3.0	5.6	1.2	1.6	1.8	2.2	2.6
28	1.8	2.6	2.5	2.4	2.6	2.0	3.5	1.6	1.3	1.8	2.2	2.6
30	1.6	2.7	2.5	2.7	2.4	2.6	3.6	1.4	1.1	1.6	2.1	2.6
32	1.6	2.7	2.5	2.5	2.4	2.4	3.6	1.4	1.1	1.6	2.1	2.6
34	1.6	2.5	2.5	2.5	2.4	2.4	3.6	1.4	1.1	1.6	2.1	2.6
36	1.6	2.5	2.5	2.5	2.4	2.4	3.6	1.4	1.1	1.6	2.1	2.6
38	1.6	2.5	2.5	2.5	2.4	2.4	3.6	1.4	1.1	1.6	2.1	2.6
40	2.1	3.0	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.4
42	1.9	2.5	2.9	3.0	3.4	3.5	3.7	4.0	4.2	4.5	4.7	5.0
44	1.7	2.5	2.6	2.6	2.7	2.7	2.8	3.0	3.2	3.4	3.6	3.8
46	1.7	2.5	2.6	2.6	2.7	2.7	2.8	3.0	3.2	3.4	3.6	3.8
48	2.7	1.7	0	-9	-6	-1	-7	9	13	31	39	26
50	1.7	0	-9	-6	-1	-7	9	13	31	39	45	40
52	2.0	2.0	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
54	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
56	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
58	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
60	3.3	1.3	-2	-5	-1	2	-1	26	31	52	47	25

\* \* MULTIPLY TABLET VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A6. Meridional winds: From the Surface to 60 km at Wallops Island

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976										
WALLOPS ISLAND, VA										
NORTH-SOUTH WIND H/SEC SOUTH *										
KN KILOMETERS ABOVE SEA LEVEL										
MEAN AVERAGE OF OBSERVED VALUES										
STDV STANDARD DEVIATION OF VALUES TIMES 10										
N NUMBER OF VALUES AT EACH ALTITUDE										
KN	0.015	2	4	6	8	10	12	14	16	18
MEAN	-1	0	1	2	2	0	0	1	2	1
STDV	3.6	7.2	9.5	13.0	16.4	19.2	17.2	11.4	6.2	5.7
N	64	44	44	43	41	29	25	22	21	19
2	6.0	**	7.0	5.8	6.3	9.5	9.4	8.3	8.0	8.0
4	6.6	5.0	5.4	6.3	9.5	9.0	9.7	9.0	8.0	8.0
6	1.0	-1	4.9	6.6	9.0	9.7	9.0	8.0	8.0	8.0
8	1.2	0.9	1.0	1.1	1.6	1.9	1.9	1.9	1.9	1.9
10	1.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
12	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
14	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
16	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
18	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
20	1.9	2.7	5.6	6.4	5.6	5.5	5.5	5.5	5.5	5.5
22	2.3	1.9	3.4	3.7	4.0	4.4	4.2	5.8	5.6	5.6
24	2.4	1.9	3.4	3.7	4.0	4.4	4.2	5.8	5.6	5.6
26	2.2	2.2	2.0	2.1	2.1	2.1	2.1	2.1	2.1	2.1
28	2.8	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	2.9
30	3.0	2.2	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1
32	3.0	2.2	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1
34	3.0	2.2	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1
36	3.0	2.2	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1
38	3.0	2.2	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1
40	4.0	-1.3	-1.6	-1.1	-5	-2.2	-2.2	-1.3	-1.4	5
42	-1.7	-1.9	-1.2	-1.5	-1.5	-2.0	-1.4	-1.6	-1.5	-1.5
44	-1.6	-1.9	-1.2	-1.5	-1.5	-2.0	-1.4	-1.6	-1.5	-1.5
46	-1.6	-1.9	-1.2	-1.5	-1.5	-2.0	-1.4	-1.6	-1.5	-1.5
48	-1.6	-1.9	-1.2	-1.5	-1.5	-2.0	-1.4	-1.6	-1.5	-1.5
50	-1.5	-3	-1.0	-7	-6	-16	-16	-6	-1	-10
52	-1.5	-1.0	-4	-6	-5	-9	-9	-3	-2	-2
54	-1.5	-1.0	-4	-6	-5	-9	-9	-3	-2	-2
56	-1.5	-1.0	-4	-6	-5	-9	-9	-3	-2	-2
58	-1.5	-1.0	-4	-6	-5	-9	-9	-3	-2	-2
60	-2.9	6	3	7	-11	-4.5	-3.9	-4.6	-10	-31

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A6. Meridional Winds From the Surface to 60 km at Wallops Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976											
WALLOPS ISLAND, VA											
NORTH-SOUTH WIND M/SEC SOUTH *											
KH MEAN STDV N											
KH KILOMETERS ABOVE SEA LEVEL MEAN AVERAGE OF OBSERVED VALUES STDV STANDARD DEVIATION OF VALUES TIMES 10 N NUMBER OF VALUES AT EACH ALTITUDE											
2.9468	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
1.0	-1.0	5.3	7.3	7.5	9.5						
1.2	-1.2	4.1	6.7	6.8	8.3	8.7					
1.4	-1.4	3.2	5.9	6.0	7.7	7.7	8.2				
1.6	-1.6	3.2	5.9	6.0	7.7	7.7	7.6	7.2	8.0		
1.8	-1.8	3.2	5.9	6.0	7.7	7.7	7.6	7.2	8.0	8.6	
2.0	-2.0	3.8	1.3	1.3	2.0	2.0	1.9	2.4	3.4	4.1	
2.2	-2.2	4.6	2.2	1.6	3.3	3.2	2.2	1.9	2.6	3.0	4.4
2.4	-2.4	4.6	2.2	1.6	3.3	3.2	2.3	2.0	2.6	3.5	4.9
2.6	-2.6	4.6	1.6	1.6	1.6	1.6	1.7	1.6	2.2	2.7	6.4
2.8	-2.8	1.8	1.2	1.4	1.6	1.6	1.7	1.6	1.1	1.4	
3.0	-3.0	6	9	1.5	2.6	1.4	9	2.4	3.2	2.9	3.6
3.2	-3.2	7	11	2.5	2.9	3.6	2.6	2.1	2.4	3.0	3.7
3.4	-3.4	7	11	2.5	3.4	3.6	2.7	2.1	2.4	3.2	3.9
3.6	-3.6	7	12	2.5	3.7	3.8	2.8	2.0	2.6	3.0	3.7
3.8	-3.8	1.6	1.8	1.8	1.8	1.8	1.5	1.5	1.5	1.5	1.5
4.0	-4.0	5	2	-5	-1	0	-2	-4	-3	1	3
4.2	-4.2	6	6	6	16	19	16	24	20	19	17
4.4	-4.4	6	6	6	16	19	19	24	21	13	16
4.6	-4.6	6	6	6	16	19	19	24	21	10	10
4.8	-4.8	6	6	6	16	19	19	24	21	6	11
5.0	-5.0	20	21	22	32	20	13	26	21	2	5
5.2	-5.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
5.4	-5.4	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
5.6	-5.6	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
5.8	-5.8	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
6.0	-6.0	10	29	34	41	39	23	27	26	23	19

\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENT'S

Table A6. Meridional Winds From the Surface to 60 km at Wallops Island (Cont.)

## CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

WALLOPS ISLAND, VA

NORTH-SOUTH WIND MEAN SOUTH \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDEV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

MEAN	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60					
MEAN	0	-1	-1	-2	-2	-1	-3	-2	-1	0	0	0	0	1	1	1	0	1	1	1	2	4	6	6	5	4	3	5	3	2					
STDEV	37	49	61	65	107	134	157	124	64	28	15	15	14	16	16	21	34	25	28	37	16	43	47	46	49	59	75	94	62	93	127				
N	65	43	44	44	44	44	44	45	45	45	45	45	45	45	46	46	47	47	47	47	47	47	47	47	47	47	47	47	47	47					
MEAN	5.9	**	5.9	6.0	6.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1					
STDEV	2.4	6.8	2.19	4.6	6.7	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1				
N	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70				
MEAN	12	29	68	73	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78			
STDEV	12.6	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7		
N	20	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25		
MEAN	56	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70			
STDEV	2.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0			
N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
MEAN	2.7	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1			
STDEV	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4			
N	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	
MEAN	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
STDEV	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
N	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29

\*\* MULTIPLY TABULAR VALUES BY 3.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A6. Meridional Winds from the Surface to 60 km at Wallops Island (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976 WALLOPS ISLAND, VA															
NORTH-SOUTH WIND M/SEC		SOUTH +		NORTH-SOUTH WIND M/SEC		SOUTH +		NORTH-SOUTH WIND M/SEC		SOUTH +		NORTH-SOUTH WIND M/SEC		SOUTH +	
KM	MEAN	STDV	N	KM	MEAN	STDV	N	KM	MEAN	STDV	N	KM	MEAN	STDV	
2.4	3.6	5.2	78	6.6	6.1	6.2	94	9.8	4.6	6.0	50	5.6	5.8	6.0	
6.8	3.9	5.2	84	9.3	3.1	4.6	76	8.4	9.5	8.0	52	5.4	5.6	5.8	
10	12	2.8	35	6.5	6.2	8.2	91	7.2	2.2	2.6	39	3.4	3.6	3.8	
14.6	2.1	2.8	60	5.2	6.0	7.2	86	5.3	0.1	0.1	32	2.2	4.2	4.4	
16.6	2.9	3.3	42	4.1	4.1	5.3	73	7.9	7.7	7.7	42	4.6	4.6	4.8	
20	9	-2.2	-1	8	1.5	2.5	4.3	4.0	4.5	6.9	4	2	2	2	
22	2	-1.3	-6	-1	7	1.3	2.8	2.9	2.3	4.5	4	4	4	4	
22.6	-1.1	-2.0	-1.1	-8	-2.2	-1.5	2.6	2.5	2.1	3.7	54	61	57	55	
23	-1.2	-1.2	-1.2	-7	-2	-1.0	2.1	2.1	2.3	3.6	72	62	80	84	
23	-1.9	-2.6	-1.0	-7	-2	-1.0	2.1	2.1	2.3	3.6	55	72	82	92	
24	-3.3	-2.6	-0.6	-7	-2	-1.0	2.1	2.1	2.3	3.6	45	45	45	45	
30	-1.6	-1.4	-1.7	-1.1	-1.5	-1.4	-1.6	-1.9	-1.8	-1.2	2	35	32	33	
32	-8	-15	-21	-12	-22	-12	-19	-22	-19	-7	1.9	2.9	3.3	3.2	
33	-2.8	-1.7	-2.6	-1.3	-1.4	-1.4	-1.9	-1.6	-1.4	-1.0	2.4	3.0	3.0	3.0	
35	-2.3	-2.3	-0.6	-1.2	-1.4	-1.4	-1.9	-1.6	-1.4	-1.0	2.4	3.0	3.0	3.0	
36	-2.1	-1.8	-1.8	-1.2	-1.5	-1.6	-2.0	-1.7	-1.5	-1.2	2.4	3.0	3.0	3.0	
38	-4	-4	-1.8	-1.2	-1.5	-1.6	-2.0	-1.7	-1.5	-1.2	2.4	3.0	3.0	3.0	
40	-5	7	-1.3	-1.2	-1.5	-1.3	-1.9	-2.4	-2.0	-1.6	3.0	3.2	3.2	3.2	
42	-6	2	7	1.3	1.2	2.0	7	-5	-6	-4	1.9	4.9	3.2	3.2	
44	-4.4	-1.1	-1.2	-1.2	-1.4	-1.5	-2	-2	-1	-1.0	1.8	3.2	3.2	3.2	
46	-4.6	-1.9	-1.6	-1.3	-1.8	-1.2	-7	-16	-14	-8	-7	2.3	2.3	2.3	
48	-1.2	-1.9	-1.6	-1.3	-1.4	-1.5	-1.6	-1.4	-1.2	-1.0	-1.0	2.0	2.0	2.0	
50	-6	-1.9	-8	-4	-1	1.3	1.6	2	3	1.6	5	7	2.7	1.6	
52	-3.2	-3.2	-2.8	-2.3	-1.2	-0	-5	8	11	2.1	2.6	2.8	2.8	2.8	
54	-3.5	-3.5	-2.9	-2.3	-1.0	-0.5	-12	22	24	1.1	1.9	2.3	2.3	2.3	
56	-3.5	-3.5	-2.1	-2.1	-1.2	-1.3	-16	-15	-15	-12	2.0	2.0	2.0	2.0	
58	-3.5	-3.5	-2.1	-2.1	-1.2	-1.3	-16	-15	-15	-12	2.0	2.0	2.0	2.0	
60	-4.3	-5	15	16	17	29	17	5	10	32	38	27	12	1	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A7. Zonal Winds From the Surface to 60 km at Churchill

## CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

FORT CHURCHILL, MANITOBA

EAST-WEST WIND M/SEC WEST \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES  
STDEV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

KM	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
MEAN	•335	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	
STDEV	1.4	4	7	10	12	13	14	15	16	17	17	17	20	25	24	25	25	28	30	26	31	35	35	36	38	39	37	37	37	36		
N	50	50	51	52	52	51	51	50	49	46	44	43	30	52	53	53	53	53	53	53	53	52	53	52	53	52	53	49	46	43		
	2	54	*•*	33	67	95	95	87	96	87	96	87	96	82	92	96	92	96	92	96	92	96	92	96	92	96	92	96	92	96		
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60			
	8	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16		
	10	17	45	71	82	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92		
	12	15	35	55	64	76	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91		
	14	16	4	16	23	33	43	60	80	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91		
	16	-12	5	15	15	24	50	66	80	87	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97		
	18	-16	4	16	21	31	48	68	82	92	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96		
	20	3	5	15	15	24	50	66	80	87	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97		
	22	4	6	12	17	21	26	62	74	82	95	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98		
	24	-1	-6	-15	-17	30	36	50	65	76	82	90	94	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96		
	26	-12	-5	10	14	20	24	29	59	65	73	81	86	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90		
	28	-12	4	9	12	25	43	56	64	73	81	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84		
	30	3	4	9	12	25	43	56	64	73	81	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84		
	32	2	3	6	9	12	22	38	49	55	63	70	75	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77		
	34	1	2	3	6	7	10	12	19	22	29	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32		
	36	1	2	3	6	7	10	12	19	22	29	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32		
	38	1	2	3	6	7	10	12	19	22	29	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32		
	40	3	15	6	9	16	25	23	23	26	27	34	37	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41		
	42	1	12	1	4	8	9	1	6	8	11	16	19	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	
	44	1	12	1	5	7	10	14	14	14	17	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	
	46	1	12	1	7	10	13	13	13	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	
	48	1	15	9	0	3	0	3	-6	-7	-8	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	-6	
	50	1	3	9	-1	-4	-6	0	-11	-9	-10	-7	-3	1	14	19	17	15	17	25	41	46	55	62	71	76	86	91	96	96	96	
	52	1	4	-5	-7	-8	-1	-10	-7	-9	-7	-3	1	13	14	13	14	12	14	12	14	13	14	13	14	13	14	13	14	13	14	
	54	1	4	-4	-7	-9	-4	-10	-7	-8	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5	-5
	56	1	2	-14	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	-13	
	58	1	-2	-18	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	-16	
	60	1	5	-5	-23	-22	-19	-13	-13	-13	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	-12	

\*\* MULTIPLY TAELUF VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A7. Zonal Winds From the Surface to 60 km at Churchill (cont)

## CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

FORT CHURCHILL, MANITOBA

EAST-WEST WIND W/SEC WEST \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

KM	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60						
MEAN	0.035	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60					
MEAN	0	4	7	10	13	17	10	7	5	3	1	-1	-2	-3	-5	-5	-5	-3	-1	2	6	7	10	11	13	12	12	11	11	13	13					
STDV	32	57	84	113	133	131	92	57	49	45	43	41	47	46	52	70	80	93	103	112	121	138	136	149	169	180	174	192	184	207	202	202				
N	44	43	45	45	45	45	45	45	45	45	44	44	44	45	45	45	45	45	45	45	45	45	45	45	45	44	43	38	30	30						
2	28	**	6	7	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	9	3				
6	6	-6	59	62	95	8	10	-9	46	72	86	95	12	47	60	69	77	85	93	97	99	97	95	93	91	89	87	85	83	81	79					
10	12	-12	40	47	78	66	95	16	31	46	61	66	73	85	96	99	97	95	93	91	90	89	88	87	86	85	84	83	82	81	80					
14	16	-16	29	47	60	69	77	14	31	46	61	66	73	85	96	99	97	95	93	91	90	89	88	87	86	85	84	83	82	81	80					
18	18	-18	31	46	61	66	73	18	31	46	61	66	73	85	96	99	97	95	93	91	90	89	88	87	86	85	84	83	82	81	80					
22	22	-22	7	20	19	24	28	37	45	59	76	87	87	85	76	64	74	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76				
26	22	-12	12	16	21	20	24	31	41	51	61	71	81	91	101	111	121	131	141	151	161	171	181	191	191	191	191	191	191	191	191	191	191			
30	30	-3	16	13	9	10	8	6	6	6	6	8	10	12	14	16	18	20	23	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	
34	32	-4	9	6	3	3	1	-4	-6	-5	-7	-5	-5	-5	-5	-7	-9	-11	-13	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	
38	36	-7	16	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17		
42	40	-4	25	20	11	3	-5	-9	-13	2	4	16	39	48	44	67	74	74	82	90	93	91	90	89	88	87	86	85	84	83	82	81	80	79	78	
46	44	-6	22	16	8	-5	-9	-13	-16	-3	0	12	37	45	45	64	71	73	73	88	92	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91
50	48	-2	16	10	5	0	-5	-9	-13	-16	-16	-6	14	33	45	45	64	71	73	73	88	92	91	91	91	91	91	91	91	91	91	91	91	91	91	91
54	52	-5	21	16	13	6	-5	-9	-13	-16	-16	-6	14	33	45	45	64	71	73	73	88	92	91	91	91	91	91	91	91	91	91	91	91	91	91	91
58	56	-7	18	12	6	-4	-8	-12	-16	-16	-16	-6	14	33	45	45	64	71	73	73	88	92	91	91	91	91	91	91	91	91	91	91	91	91	91	91
60	58	-2	14	15	12	6	-5	-9	-13	-16	-16	-5	16	28	22	38	31	30	41	42	65	64	70	78	82	84	86	87	87	87	87	87	87	87		
64	62	-12	-10	-5	-5	-16	-21	-23	-12	-6	-7	27	42	40	54	41	42	53	43	62	61	65	71	79	76	81	84	82	84	84	84	84	84	84		

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A7. Zonal Winds From the Surface to 60 km at Churchill (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976											
FORT CHURCHILL, MANITOBA											
EAST-WEST WIND M/SEC WEST +											
KM KILOMETERS ABOVE SEA LEVEL						MEAN AVERAGE OF OBSERVED VALUES					
STDEV STANDARD DEVIATION OF VALUES TIMES 10						N NUMBER OF VALUES AT EACH ALTITUDE					
KM	0.35	2	4	6	8	10	12	14	16	18	20
MEAN	1	3	5	8	12	15	13	10	6	3	-1
STDEV	42	69	76	92	132	163	115	71	46	34	26
N	30	30	30	30	30	30	30	30	30	30	30
2	62	**	51	52	53	53	52	51	50	49	48
6	6	8	44	59	77	92	93	93	93	93	93
10	10	15	44	64	82	97	97	97	97	97	97
12	12	13	44	62	80	91	94	93	94	93	94
14	14	13	45	62	79	86	85	84	85	84	85
16	16	16	45	62	74	80	79	79	79	79	79
18	18	19	39	53	58	59	59	59	59	59	59
20	20	13	36	52	57	59	58	55	70	79	66
22	22	6	16	22	31	33	37	43	55	66	79
24	24	10	16	23	31	34	31	45	48	66	62
26	26	-14	-31	-27	-17	-16	-14	-17	-15	-16	-16
30	30	-36	-20	-8	0	16	29	29	32	42	46
32	32	-29	-40	-21	-14	-13	21	31	25	32	17
34	34	-26	-36	-14	-19	-19	-17	-16	-16	-16	-16
36	36	-31	-50	-36	-50	-50	-41	-41	-41	-41	-41
40	40	-23	-27	-22	-20	-23	-13	-3	2	5	6
42	42	-15	-14	-9	-8	-11	-17	-23	-19	-21	-15
44	44	-10	-10	-9	-9	-12	-17	-21	-15	-15	-15
46	46	-6	-7	-12	-12	-12	-12	-12	-12	-12	-12
50	50	-25	-17	-11	-1	1	16	28	35	32	31
52	52	3	3	-5	-4	-3	9	15	16	16	16
54	54	-23	-17	-15	-15	-15	-15	-15	-15	-15	-15
56	56	-10	-4	-5	-4	-5	-6	-6	-6	-6	-6
60	60	-31	-25	-15	-22	-32	-39	-21	-21	-12	-23

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A7. Zonal Winds From the Surface to 60 km at Churchill (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976													
FORT CHURCHILL, MANITOBA													
EAST-NORTH WIND H/SEC WEST *													
KM KILOMETERS ABOVE SEA LEVEL													
MEAN AVERAGE OF OBSERVED VALUES													
STDV STANDARD DEVIATION OF VALUES TIMES 10													
N NUMBER OF VALUES AT EACH ALTITUDE													
2 4 6 8 10 12 14 16 18 20 22 24	26 30 32 34 36 38 40 42 44 46 48 50	52 54 56 58 60											
MEAN .035 2 5 8 10 12 15 14 12 10 10 10	1.1 1.6 1.5 1.4 1.2 1.0 1.0 1.1 1.3 1.6 1.8	1.1 1.3 1.4 1.6 1.8 2.1 2.4 2.6 3.1 3.4 3.8	44 45 46 47 48 49 44 45 46 47 48	42 43 40	39								
STDV .40 76 70 82 113 119 86 69 47 49 63 74	.52 52 52 52 52 52 52 52 52 52 51 51	.51 52 52 52 52 51 51 52 51 52 51 52	1.08 1.08 1.10 1.10 1.14 1.14 1.16 1.16 1.17 1.17 1.18 1.18	1.36 1.36 1.37 1.37 1.38 1.38 1.39 1.39 1.40 1.40 1.41 1.41	1.58 1.58 1.68 1.68 1.69 1.69 1.73 1.73 1.74 1.74 1.75 1.75	1.86 1.86 1.87 1.87 1.88 1.88 1.89 1.89 1.90 1.90 1.91 1.91	1.67						
N 51 52 52 52 52 52 52 52 52 52 52 52	51 52 52 52 52 51 51 52 51 52 51 52	51 52 52 52 51 51 52 51 52 51 52 51	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52	51 52 52 51 51 52 51 52 51 52 51 52		
2 67 ** 66 65 63 65 63 65 63 65 63 65 63	66 65 63 65 63 65 63 65 63 65 63 65 63	65 63 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63	66 65 63 63 63 63 63 63 63 63 63 63 63		
6 10 17 46 70 87 87 87 87 87 87 87	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	12 21 49 69 76 75 90 92 92 92 92 92	
18 20 24 29 36 44 44 44 44 44 44 44	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53	23 40 53 53 53 53 53 53 53 53 53 53
20 22 6 16 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19	22 6 16 19 19 19 19 19 19 19 19 19
28 30 31 32 33 34 34 34 34 34 34 34	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45	35 40 45 45 45 45 45 45 45 45 45 45
38 39 40 41 42 43 43 43 43 43 43 43	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52	42 47 52 52 52 52 52 52 52 52 52 52
48 49 50 51 52 53 53 53 53 53 53 53	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64	54 59 64 64 64 64 64 64 64 64 64 64
50 51 52 53 54 55 55 55 55 55 55 55	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66	56 61 66 66 66 66 66 66 66 66 66 66
56 57 58 59 59 59 59 59 59 59 59 59	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70	60 65 70 70 70 70 70 70 70 70 70 70
60 -19 -28 -23 -6 5 -1 2 5 15 19 31 24	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16	-23 -14 -26 -21 -17 -13 -6 -2 -13 -14 -18 -16
61	61	61	61	61	61	61	61	61	61	61	61	61	61

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A8. Meridional Winds From the Surface to 60 km at Churchill

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

FORT CHURCHILL, MANITOBA

NORTH-SOUTH WIND M/SEC SOUTH \*

KH MEAN	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES					STDEV STANDARD DEVIATION OF VALUES TIMES 10				
	N NUMBER OF VALUES AT EACH ALTITUDE									
0.335	2	4	6	8	10	12	14	16	18	20
-2	-5	-6	-7	-6	-7	-7	-8	-9	-11	-13
3.5	7.3	9.3	12.4	13.3	16.5	9.8	10.1	10.2	11.8	14.0
5.0	5.0	5.1	5.2	5.1	5.1	5.0	4.9	4.6	4.4	4.3
6.0	4.3	4.4	4.5	4.4	4.3	4.3	4.3	4.3	4.3	4.3
8.0	2.3	6.6	9.3	9.5	9.6	9.6	9.6	9.6	9.6	9.6
10.0	3	5.9	8.3	9.0	9.2	7.7	7.7	7.7	7.7	7.7
12.0	2	5.5	7.2	7.4	7.7	6.7	6.7	6.7	6.7	6.7
14.0	2.4	6.1	6.3	6.5	6.7	6.0	6.0	6.0	6.0	6.0
16.0	-7	3.5	4.5	4.3	4.5	4.8	4.8	4.8	4.8	4.8
18.0	-7	3.5	4.5	4.3	4.5	4.8	4.8	4.8	4.8	4.8
20.0	-1.0	1.6	2.9	3.0	3.4	5.5	6.8	7.6	8.3	8.7
22.0	0	2.6	3.7	3.7	3.2	5.7	6.7	7.6	8.5	9.1
24.0	-6	1.9	2.7	2.7	2.4	5.7	6.7	7.6	8.5	9.4
26.0	-2.1	-1.9	1.5	1.9	1.9	2.5	2.5	2.5	2.5	2.5
28.0	-1.0	-1	5	9	15	14	14	14	14	14
30.0	-1.0	-1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
32.0	-2.5	-1.6	3	10	15	14	14	14	14	14
34.0	-2.6	-1.3	-1.3	7	12	11	11	11	11	11
36.0	-2.7	-1.4	-1.4	-1.4	7	12	12	12	12	12
38.0	-2.7	-1.4	-1.4	-1.4	-1.4	12	12	12	12	12
40.0	-2.5	-1.0	1.0	1.0	1.0	10	10	10	10	10
42.0	-1.9	-1.7	2.7	1.9	2.5	2.6	2.7	3.1	3.5	4.7
44.0	-2.6	-1.5	-1.5	-1.5	-1.5	1.6	1.6	1.6	1.6	1.6
46.0	-2.2	-1.4	-1.4	-1.4	-1.4	1.6	1.6	1.6	1.6	1.6
48.0	-1.0	-1.0	-1.0	-1.0	-1.0	1.5	1.5	1.5	1.5	1.5
50.0	-1.3	-1.6	-1.2	-1	4	0	3	3	3	3
52.0	-1.2	-1.2	-1.2	-1.2	-1.2	2	2	2	2	2
54.0	-1.5	-1.0	-1.0	-1.0	-1.0	1.8	1.8	1.8	1.8	1.8
56.0	-1.0	-1.5	-1.5	-1.5	-1.5	1.4	1.4	1.4	1.4	1.4
58.0	-1.0	-2.2	-1.2	-1.2	-1.2	-1.2	-1.2	-1.2	-1.2	-1.2
60.0	-2.4	-3.5	-2.6	-2.5	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A8. Meridional Winds From the Surface to 60 km at Churchill (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

FORT CHURCHILL, MANITOBA

NORTH-SOUTH WIND N/SEC SOUTH \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

KM	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
MEAN	-1	-4	-6	-9	-11	-14	-17	-4	-3	-2	-2	-2	-1	-1	-2	-1	-1	-1	0	0	0	0	1	1	1	2	2	0				
STDV	42	60	65	83	120	120	76	54	45	38	36	39	46	52	57	68	74	72	73	63	76	60	72	86	76	82	97	97	112	127		
N	44	43	42	45	45	45	45	45	45	44	41	37	45	45	45	45	45	45	45	45	45	45	45	45	45	44	43	38	36			
	2	51	** 51	85	87	87	93	93	96	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95		
	6	6	-19	57	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70		
	10	-16	29	52	86	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95		
	12	-17	20	52	72	81	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91		
	14	-14	16	43	61	89	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96		
	16	-9	12	27	45	56	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65		
	18	2	12	27	37	46	56	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65		
	20	-1	18	29	35	41	46	57	62	60	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50		
	22	-2	21	31	31	32	35	42	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56		
	24	-3	25	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27		
	26	-9	24	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25		
	28	0	33	33	30	23	16	15	11	4	7	25	43	47	56	65	74	85	90	92	93	93	93	93	93	93	93	93	93	93		
	30	-1	34	29	23	19	16	10	3	8	27	47	56	65	74	83	92	99	99	99	99	99	99	99	99	99	99	99	99	99	99	
	32	-5	22	16	12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
	34	-2	32	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26		
	36	-2	32	24	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22		
	38	-4	32	24	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22		
	40	5	17	2	-1	2	2	-8	-6	-1	13	25	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26		
	42	-5	19	12	14	12	13	2	2	4	7	29	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21		
	44	-11	19	4	19	6	13	7	7	7	7	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17		
	46	-2	19	10	14	20	22	10	11	13	16	25	14	12	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13		
	48	0	24	15	14	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
	50	9	24	15	14	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
	52	-14	7	14	16	13	13	6	5	12	21	19	26	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23		
	54	-11	5	7	14	13	12	-3	-5	12	22	23	17	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34		
	56	-30	-17	-16	1	13	11	19	21	15	17	21	19	20	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14		
	58	-30	-17	-16	1	13	11	19	21	15	17	21	19	20	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14		
	60	-20	-13	-7	-3	-5	-12	-15	-5	0	3	-6	-21	16	17	13	15	16	12	15	17	13	15	16	12	15	17	13	15	16		

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A8. Meridional Winds from the Surface to 60 km at Churchill (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976									
FORT CHURCHILL, MANITOBA									
NORTH-SOUTH WIND H/SEC SOUTH *									
KM KILOMETERS ABOVE SEA LEVEL									
MEAN AVERAGE OF OBSERVED VALUES									
STDV STANDARD DEVIATION OF VALUES TIMES 10									
N NUMBER OF VALUES AT EACH ALTITUDE									
2 71 **	2 60	2 64	2 66	2 79	2 93	3 21	3 30	3 30	3 30
4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6	4 6
6 6	6 6	6 6	6 6	6 6	6 6	6 6	6 6	6 6	6 6
8 6	8 6	8 6	8 6	8 6	8 6	8 6	8 6	8 6	8 6
10 8	10 8	10 8	10 8	10 8	10 8	10 8	10 8	10 8	10 8
12 14	12 17	12 19	12 20	12 21	12 22	12 23	12 24	12 25	12 26
14 16	14 18	14 20	14 22	14 24	14 26	14 28	14 30	14 32	14 34
16 18	16 20	16 22	16 24	16 26	16 28	16 30	16 32	16 34	16 36
20 22	20 23	20 25	20 27	20 29	20 31	20 33	20 35	20 37	20 39
22 24	22 25	22 27	22 29	22 31	22 33	22 35	22 37	22 39	22 41
24 26	24 26	24 28	24 30	24 32	24 34	24 36	24 38	24 40	24 42
26 28	26 28	26 30	26 32	26 34	26 36	26 38	26 40	26 42	26 44
28 30	28 30	28 32	28 34	28 36	28 38	28 40	28 42	28 44	28 46
30 32	30 32	30 34	30 36	30 38	30 40	30 42	30 44	30 46	30 48
32 34	32 34	32 36	32 38	32 40	32 42	32 44	32 46	32 48	32 50
34 36	34 36	34 38	34 40	34 42	34 44	34 46	34 48	34 50	34 52
36 38	36 38	36 40	36 42	36 44	36 46	36 48	36 50	36 52	36 54
38 40	38 40	38 42	38 44	38 46	38 48	38 50	38 52	38 54	38 56
40 42	40 42	40 44	40 46	40 48	40 50	40 52	40 54	40 56	40 58
42 44	42 44	42 46	42 48	42 50	42 52	42 54	42 56	42 58	42 60
44 46	44 46	44 48	44 50	44 52	44 54	44 56	44 58	44 60	44 62
46 48	46 48	46 50	46 52	46 54	46 56	46 58	46 60	46 62	46 64
48 50	48 50	48 52	48 54	48 56	48 58	48 60	48 62	48 64	48 66
50 52	50 52	50 54	50 56	50 58	50 60	50 62	50 64	50 66	50 68
52 54	52 54	52 56	52 58	52 60	52 62	52 64	52 66	52 68	52 70
54 56	54 56	54 58	54 60	54 62	54 64	54 66	54 68	54 70	54 72
56 58	56 58	56 60	56 62	56 64	56 66	56 68	56 70	56 72	56 74
58 60	58 60	58 62	58 64	58 66	58 68	58 70	58 72	58 74	58 76

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A8. Meridional Winds from the Surface to 60 km at Churchill (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976											
FORT CHURCHILL, MANITOBA											
NORTH-SOUTH WIND M/S ECA L-VCL											
KM MEAN STD N											
KM	MEAN	STD	N	MEAN	STD	N	MEAN	STD	N	MEAN	STD
0.335	2	4	6	8	10	12	14	16	18	20	22
-1	-2	-3	-4	-5	-4	-3	-3	-2	-2	-2	-1
52	52	52	52	52	52	52	52	52	52	52	52
2	2	2	2	2	2	2	2	2	2	2	2
4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6
10	-1	51	83	91	97	10	12	14	16	18	20
12	0	45	81	87	91	12	14	16	18	20	22
14	14	40	82	85	86	14	16	18	20	22	24
16	-7	54	58	61	75	16	18	20	22	24	26
20	-6	29	50	53	54	55	55	56	56	56	56
22	-12	5	21	24	27	29	30	31	32	33	34
24	-16	-2	0	2	2	2	2	2	2	2	2
26	-16	-10	-4	-4	-5	-5	-5	-5	-5	-5	-5
28	-16	-10	-4	-4	-5	-5	-5	-5	-5	-5	-5
30	-7	-6	-6	-9	-7	-8	-10	-9	-7	-2	22
32	-22	-29	-39	-29	-27	-26	-29	-27	-19	-2	30
34	-26	-31	-36	-32	-32	-33	-36	-34	-23	-2	32
36	-14	-23	-28	-22	-22	-26	-33	-33	-26	-13	35
38	-14	-25	-30	-31	-30	-36	-36	-36	-30	-16	35
40	-6	-32	-14	-32	-31	-16	-38	-36	-39	-39	-25
42	-9	-26	-43	-45	-45	-44	-48	-46	-49	-49	-43
44	-12	-35	-42	-43	-39	-36	-41	-42	-46	-46	-35
46	16	-19	-33	-32	-36	-39	-44	-43	-46	-46	-39
48	16	-20	-25	-30	-30	-32	-38	-40	-46	-46	-38
50	-6	-36	-40	-37	-46	-46	-46	-46	-41	-37	-23
52	-27	-47	-46	-42	-41	-35	-35	-39	-35	-30	-11
54	-26	-38	-40	-47	-32	-36	-37	-37	-35	-35	-15
56	-25	-39	-46	-43	-43	-35	-43	-43	-45	-45	-28
58	-21	-18	-29	-31	-25	-37	-30	-35	-35	-28	-28
60	-21	-18	-29	-31	-27	-19	-24	-32	-34	-32	-14

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

FORT SHERMAN, CANAL ZONE

EAST-WEST WIND M/SEC WEST +

KM MEAN STDV N	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES STDEV STANDARD DEVIATION OF VALUES TIMES 10 N NUMBER OF VALUES AT EACH ALTITUDE									
26	26	30	32	34	36	38	40	42	44	46
MEAN	-2	-1	-4	-4	-7	-11	-14	-16	-23	-25
STDV	119	125	161	167	156	136	110	93	132	116
N	42	42	43	43	43	43	43	43	43	43
26	82	**								
30	56	62								
32	41	59	66	55						
34	35	47	67	59						
36	27	16	26	31	32	62				
40	2	-4	3	1	13	39	80			
42	4	-23	-20	-27	-10	-1	45	72	76	52
44	-44	-12	-4	-22	-14	-21	26	52	57	54
46	-19	-34	-43	-15	-24	-20	15	37	64	58
50	-36	-49	-51	-20	-33	-19	-1	5	16	45
52	-43	-49	-53	-24	-26	-19	9	19	39	49
54	-52	-53	-54	-37	-25	-1	19	35	39	78
56	-56	-50	-41	-15	-25	-8	-5	6	32	47
58	-58	-18	8	16	-26	-5	-4	4	12	5
60	-27	-43	-31	-62	-23	-10	-25	14	45	21

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A9. Zonal Winds from 26 km to 60 km at Fort Sherman (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976											
FORT SHERMAN, CANAL ZONE											
EAST-WEST WIND M/SEC			WEST +			KH KILOMETERS ABOVE SEA LEVEL			MEAN AVERAGE OF OBSERVED VALUES		
STDEV			STDEV			STDEV			STDEV		
N			N			N			N		
KH			KH			KH			KH		
26	28	30	32	34	36	38	40	42	44	46	48
MEAN	-5	-6	-10	-13	-17	-17	-14	-8	-1	3	7
STDEV	1.17	1.41	1.39	1.33	1.23	1.09	1.29	1.24	1.14	0.96	0.82
N	34	34	35	35	35	35	35	35	35	35	35
	24	92 **									
	30	85	92								
	32	74	66	92	89	81	66				
	34	53	71	83	89	81	66				
	36	16	35	52	63	61	66				
	38	-40	-26	-17	3	21	66				
	40	-64	-51	-44	-26	-12	36	89			
	42	-57	-49	-43	-29	-24	18	69	66		
	44	-45	-34	-23	-6	-7	27	60	66	61	
	46	-12	-14	-14	16	7	25	42	59	67	73
	48	-1.9	15	14	25	7	14	23	19	25	45
	50										36
	52	10	14	21	22	9	13	14	14	21	35
	54	12	9	12	13	-2	4	4	5	12	47
	56	18	11	14	17	0	12	12	6	20	47
	58	-8	-13	-4	-7	-7	19	25	31	21	45
	60	0	-14	0	-1	-9	9	25	17	16	19
											41
											47
											40
											61
											90
											81
											46

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976											
FORT SHERMAN, CANAL ZONE											
EAST-NORTH WIND 4/SEC WEST +											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN			AVERAGE OF OBSERVED VALUES			STDEV STANDARD DEVIATION OF VALUES TIMES 10			N NUMBER OF VALUES AT EACH ALTITUDE		
X4	26	28	30	32	34	36	38	40	42	44	46
MEAN	-22	-25	-27	-27	-25	-25	-26	-26	-29	-30	-25
STDEV	119	130	90	92	99	121	120	109	107	137	146
N	38	39	39	35	35	39	39	39	39	39	39
	26	68	**								
	30	49	72								
	32	2	10	41	65						
	34	-3	-15	-45	15						
	36	-6	-10	-47	17	54	80				
	38	-6	-7	-63	34						
	40	-53	-63	-55	-11	23	58	62			
	42	-31	-49	-46	2	13	39	61	83		
	44	-47	-57	-35	-34	-14	50	66	71		
	46	-38	-54	-29	-34	-12	1	22	43	38	67
	48	-36	-31	-16	-12	1	26	34	48	31	52
	50	-26	-23	-17	-30	-15	11	23	11	35	52
	52	-30	-25	-13	-23	-16	-1	7	9	12	30
	54	-22	-17	-14	-22	-16	-1	2	-9	-22	54
	56	-1	-10	8	-12	-23	-25	-25	-33	-22	39
	58	2	20	24	-12	-16	-11	-41	-39	-44	-15
	60	-3	16	14	-18	-6	-6	-32	-36	-53	-47

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A9. Zonal Winds from 26 km to 60 km at Fort Sherman (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976											
FORT SHERMAN, CANAL ZONE											
EAST-WEST WIND M/SEC WEST +											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN AVERAGE OF OBSERVED VALUES											
STDV STANDARD DEVIATION OF VALUES TIMES 10											
N NUMBER OF VALUES AT EACH ALTITUDE											
24	26	28	30	32	34	36	40	42	44	46	48
MEAN	-20	-16	-10	-7	-4	-3	-1	2	4	7	8
STDV	149	153	146	142	146	140	136	128	113	114	103
N	36	36	36	35	36	36	36	36	36	36	36
26	76 **										
31	47	60									
32	9	49	60	65	66	66	65	64	63	62	60
32	-9	27									
32	-15	-5	24	26	56	76					
40	-11	-12	-17	-5	24	51	76				
40	-11	-12	-17	-5	24	51	76				
42	0	-20	-26	-10	-6	26	50				
42	0	-8	-23	-16	-16	23	49				
46	-12	-25	-32	-30	-31	-24	-21	-14	16	11	75
46	-12	-25	-32	-30	-31	-24	-21	-14	16	11	75
50	-6	-10	-22	-6	-5	-11	11	16	19	51	62
52	-19	5	-3	-1	-7	-16	-46	-35	-5	37	36
52	-14	6	-19	-12	-33	-43	-42	-35	-1	34	34
56	34	44	32	43	39	25	4	-16	-1	35	35
56	-2	17	32	43	39	25	4	-19	0	22	24
60	-6	25	57	61	37	7	-13	-18	-12	16	21
										20	16
										27	26
										54	56

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A10. Meridional Winds From 26 km to 60 km at Fort Sherman  
CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

FORT SHERMAN, CANAL ZONE											
NORTH-SOUTH WIND M/SEC SOUTH +											
KM	KILOMETERS ABOVE SEA LEVEL										
MEAN	MEAN OF OBSERVED VALUES										
STDEV	STDEV OF VALUES TIMES 10										
N	N NUMBER OF VALUES AT EACH ALTITUDE										
26	26	30	32	34	36	38	40	42	44	46	48
MEAN	0	1	0	-1	0	2	2	3	4	3	2
STDEV	3.3	3.6	4.1	5.1	5.1	5.3	5.3	5.2	6.3	6.0	5.4
N	42	42	43	43	43	43	43	43	43	43	43
29	12 **	20	16	32	16	46	39	40	37	30	30
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
32	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
36	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
40	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
44	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
48	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
50	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
52	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
56	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42
60	12	16	16	42	39	39	40	40	40	40	40
MEAN	0	0	0	0	0	0	0	0	0	0	0
STDEV	3.3	2.2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
N	42	42	42	42	42	42	42	42	42	42	42

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A10. Meridional Winds From 26 km to 60 km at Fort Sherman (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

FORT SHERMAN, CANAL ZONE

NORTH-SOUTH WIND H/SEC SOUTH \*

KM	KILOMETERS ABOVE SEA LEVEL																					
	MEAN AVERAGE OF OBSERVED VALUES																					
	STDV STANDARD DEVIATION OF VALUES TIMES 1.0																					
N	NUMBER OF VALUES AT EACH ALTITUDE				26	28	30	32	34	36	38	40										
28	10	**	28	28	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	1	2	2	2	2	2	3	3	2	1	-1	-1	0	2	3	3	2	1	-1			
STDV	34	37	40	36	45	42	53	61	59	55	54	59	72	89	63	105	99	100				
N	34	34	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	29	19	
28	10	**	30	-10	39	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
32	-16	19	47	-16	19	16	29	51	-16	19	21	21	21	21	21	21	21	21	21	21	21	
36	-26	11	19	-14	19	19	21	21	-16	9												
40	9	-20	-1	33	-19	-31	57															
44	-23	-11	1	-11	4	-29	-31	32	73													
48	-5	-16	-21	-16	-16	-19	14	17	17	41												
52	12	-11	-32	-29	-29	-29	-10	-10	-23	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	-15	
56	24	-19	-1	-6	-21	-15	-6	10	-3	-22	16	67										
60	35	-6	14	20	-28	-25	-4	27	12	-44	-13	28	73									
64	17	-53	-14	-14	-14	-24	14	26	31	4	13	43	47									
68	13	-42	-22	-16	-16	-21	0	42	23	25	34	28	82									
72	0	22	-5	33	-47	-15	-4	3	-1	-36	-2	-11	7	27	9	-9	46					

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A10. Meridional Winds From 2<sup>r</sup> to 60 km at Fort Sherman (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976											
FORT SHERMAN, CANAL ZONE											
NORTH-SOUTH WIND H/SEC SOUTH +											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN AVERAGE OF OBSERVED VALUES											
STDV STANDARD DEVIATION OF VALUES TIMES 10											
N NUMBER OF VALUES AT EACH ALTITUDE											
26	28	30	32	34	36	38	40	42	44	46	48
M.FAN	2	4	3	1	0	1	2	2	3	2	5
STDV	29	40	43	64	56	43	61	54	56	84	71
N	38	39	39	39	39	39	39	39	39	39	78
28	21	**									
30	11	40									
32	10	11	15	15	61	37					
34	23	15	10	15	30	14	63				
36	-1	15	15	15							
38											
40	17	-6	19	28	21	33	63				
42	9	12	5	28	36	8	33				
44	6	13	-5	43	32	16	17	29	52		
46	14	-1	-42	5	2	23	26	2	22		
48	10	22	1	15	13	5	17	7	3	21	68
50	3	16	-21	-36	0	3	-23	-20	5	6	43
52	-7	-31	-36	-47	-7	12	12	12	-12	-9	-11
54	29	-30	-16	-11	-1	-1	-10	1	-12	-35	-25
56	8	30	10	6	4	-1	-12	-8	-17	-3	-16
58	1	31	0	2	4	-27	-19	3	-1	25	63
60	-19	38	-3	-9	14	-20	-30	-19	14	7	43

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A10. Meridional Winds From 26 km to 60 km at Fort Sherman (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976																		
FORT SHERMAN, CANAL ZONE																		
NORTH-SOUTH WIND M/SEC		SOUTH *		NORTH *		KILOMETERS ABOVE SEA LEVEL												
MEAN		MEAN		STDEV		AVERAGE OF OBSERVED VALUES		STANDARD DEVIATION OF VALUES TIMES 10										
N		N		N		NUMBER OF VALUES AT EACH ALTITUDE												
26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	
MEAN	2	3	-1	-1	0	0	0	2	1	1	1	1	3	1	3	2	3	
STDEV	2.9	2.6	2.8	5.1	4.3	4.5	4.9	4.9	5.4	4.4	6.8	7.1	6.4	10.1	6.9	12.4	11.7	10.5
N	36	36	35	36	36	36	36	36	36	36	36	36	35	35	34	31	26	22
	26	40	**															
	30	11	4.3															
	32	-3	24	4.5	36	57	-5	-5										
	34	-13	5	-2	-10	-15	-1	64										
	36	-17	-26	-10	-15	-1	64											
	40	-3	4	1	-2	-8	6	41										
	42	14	12	3	18	-11	3	2	54	38	54	56	54	56	54	56	58	60
	44	-26	-30	-25	-19	-15	26	35	27	16	11	18	21	19	64			
	46	-16	-3	-25	-24	-22	27	15	11	18	21	19	64					
	48	15	11	16	-24	-9	27	15	11	18	21	19	64					
	50	-10	-7	8	-10	15	34	15	-12	-23	6	38	43					
	52	14	-2	22	-26	-19	26	6	17	19	16	17	15	3	47	52	52	52
	54	17	-9	24	-24	-13	11	4	2	5	12	14	13	23	29	1	52	52
	56	-11	-11	30	9	26	30	26	8	-1	12	14	13	23	29	1	52	52
	58	0	-29	-31	-18	8	30	26	8	-1	21	29	23	29	23	1	52	52
	60	4	2	20	11	22	29	6	-10	-49	-37	3	2	18	13	0	28	76

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A11. Zonal Winds From 26 km to 60 km at Barking Sands

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

BARKING SANDS, HI

EAST-WEST WIND W/SEC WEST +

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN	AVERAGE OF OBSERVED VALUES	STDEV	STANDARD DEVIATION OF VALUES TIMES 10	N	NUMBER OF VALUES AT EACH ALTITUDE				
26	26	30	32	34	36	39	40	42	44	46
MEAN	0	2	7	9	9	6	5	3	2	1
STDEV	75	102	120	136	151	155	160	160	164	211
N	48	48	48	48	48	48	48	48	48	250
28	92 **									250
30	78	91								280
32	52	64	91	92	94	96	97	98	99	285
34	56	58	65	65	69	72	72	73	74	289
36	32	40	46	64	81	91				292
38										
40										
42	-11	-14	-20	-15	-11	25	44	59	83	95
44	-21	-23	-28	-16	-16	13	34	62	86	97
46	-30	-31	-35	-26	-16	-7	34	50	74	92
48	-36	-31	-35	-26	-16	-8	6	25	43	79
50	-33	-26	-31	-26	-16	-8	6	25	43	79
52	-27	-23	-29	-27	-16	-6	7	24	43	55
54	-25	-25	-29	-25	-16	-5	9	24	49	64
56	-19	-16	-21	-19	-11	3	10	22	55	71
58	-12	-9	-18	-16	-11	11	14	23	55	64
60	-24	-24	-25	-18	-17	-12	2	20	41	51
									56	70
									64	80
									84	90
									92	96

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A11. Zonal Winds from 26 km to 60 km at Barking Sands (Cont)  
CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

		BARKING SANDS, HI																	
		EAST-WEST WIND M/SEC					WEST +												
KM	KILOMETERS ABOVE SEA LEVEL	MEAN AVERAGE OF OBSERVED VALUES																	
		STDEV	STDEV	STDEV	STDEV	STDEV	STDEV	STDEV	STDEV	STDEV	STDEV								
N	NUMBER OF VALUES AT EACH ALTITUDE	STANDARD DEVIATION OF VALUES TIMES 10																	
26	84 **	6	26	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	-4	-2	-2	-3	-4	-4	-4	-3	-3	-2	1	5	7	7	7	9	9	9	9
STDEV	47	71	88	101	102	97	93	99	112	124	130	142	148	153	161	173	187	193	193
N	52	53	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
28	84 **	30	77	92	32	65	82	89	90	92	94	96	98	99	99	99	99	99	99
MEAN	32	34	34	34	36	36	36	37	37	37	37	37	37	37	37	37	37	37	37
STDEV	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
N	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
30	84 **	40	17	24	31	51	63	67	84	84	84	84	84	84	84	84	84	84	84
MEAN	42	42	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46
STDEV	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
N	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
32	84 **	50	22	16	24	31	36	40	49	59	78	80	87	94	94	94	94	94	94
MEAN	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
STDEV	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
N	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
34	84 **	56	22	13	20	26	35	40	49	69	78	80	87	94	94	94	94	94	94
MEAN	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
STDEV	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58
N	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
36	84 **	60	44	45	52	42	39	19	-1	19	44	57	58	66	61	59	62	69	63

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A11. Zonal Winds From 26 km to 60 km at Barking Sands (Cont)  
 CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1970  
 BARKING SANDS, HI

	EAST-WEST WIND M/SEC		WEST *	
KM	KILOMETERS ABOVE SEA LEVEL			
MEAN	AVERAGE OF OBSERVED VALUES			
STDEV	STANDARD DEVIATION OF VALUES TIMES 10			
N	NUMBER OF VALUES AT EACH ALTITUDE			
26	26	39	32	34 36 38 40 42 44 46 48 50 52 54 56 58 60
MEAN	-24	-25	-27	-28 -29 -32 -37 -40 -44 -47 -48 -49 -50 -49 -42 -35 -30 -23
STDEV	31	35	31	40 43 55 53 62 74 74 71 77 85 105 127 140 171 184
N	47	51	55	55 55 55 55 55 55 55 55 55 55 55 55 51 41 24
28	50 **			
30	25	54		
32	21	22	52	
34	22	23	54	
36	16	25	59	
38	26	16	51	
40	2	4	6	25 15 22 62
42	4	2	7	2 -10 3 50
44	-16	-18	-22	-13 6 -6 5 33 75
46	-18	2	-22	-9 7 10 -4 2 33 60 60
48	-13	-12	-24	-3 4 -8 -2 35 51 55 73
50	-12	4	-10	4 7 12 16 27 30 34 56 77
52	-12	-11	-16	-10 3 2 12 24 42 28 41 57 74
54	-22	-12	-11	-11 -16 -14 1 2 12 20 25 44 55 71
56	-31	-26	-32	-16 -20 -14 -2 19 24 27 12 40 46 81
58	-35	-11	-33	-12 -26 -12 -2 27 31 27 12 -14 -19 81 2 43
60	-15	3	-17	-26 -23 -4 17 19 25 24 23 -1 -15 -41 -2 23 75

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A11. Zonal Winds From 26 km to 60 km at Barking Sands (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

BARKING SANDS, HI

EAST-WEST WIND 4/SEC WEST +

	KH KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES					STDEV STANDARD DEVIATION OF VALUES TIMES 10				
	N NUMBER OF VALUES AT EACH ALTITUDE									
KH	26	30	32	34	36	40	42	44	46	50
MEAN	-11	-9	-6	-1	6	10	15	18	22	26
STDV	46	58	60	74	94	115	120	116	139	151
N	39	41	44	44	44	44	44	44	44	44
26	69	84	75	83	82	85	85	85	85	85
30	52	61	59	61	62	66	72	65	90	90
32	42	57	59	51	51	51	51	51	51	51
34	45	55	55	51	51	51	51	51	51	51
36	42	56	64	74	77	84	93	93	93	93
40	46	51	60	72	74	78	96	91	91	91
42	44	46	51	51	51	61	66	72	73	73
44	41	42	43	43	43	52	52	52	52	52
46	46	46	43	43	43	55	55	55	55	55
48	45	44	56	63	50	49	64	70	82	86
50	45	44	56	63	50	49	64	70	82	90
52	50	50	62	69	58	60	73	79	87	91
54	46	46	63	62	62	54	71	75	82	86
56	56	56	63	63	63	64	60	73	81	87
58	58	63	74	76	64	53	71	77	82	87
60	58	60	73	73	58	42	67	64	72	73

77

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A12. Meridional Winds from 26 km to 60 km at Barking Sands

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

BARKING SANDS, HI

NORTH-SOUTH WIND MESEC SOUTH \*

KM MEAN STDV N	KILOMETERS ABOVE SEA LEVEL									
	NUMBER OF VALUES AT EACH ALTITUDE									
KM MEAN STDV N	STDEV STANDARD DEVIATION OF VALUES TIMES 10									
	N									
26	28	30	32	34	36	38	40	42	44	46
MEAN	2	1	0	-1	-2	-1	0	2	3	4
STDV	26	40	52	61	71	65	77	86	98	119
N	46	46	46	48	48	46	46	46	46	46
28	61	**	34	36	66	32	19	29	64	73
			32	20	36	27	23	30	54	73
			36	26	36	23	23	31	53	73
			38	27	36	23	23	31	53	73
40	34	14	2	10	26	47	75			
			42	31	18	19	32	40	53	69
			44	32	12	18	25	44	53	76
			46	30	16	18	25	44	53	76
			48	30	10	12	26	42	52	76
50	30	16	16	27	18	29	16	18	53	61
			52	30	10	9	20	25	36	44
			54	30	14	24	26	36	44	52
			56	35	17	21	14	23	33	49
			58	31	6	13	15	15	27	46
			60	36	-16	-12	-29	-16	-29	0
										-4
										-7
										0
										33
										51
										75
										77
										69
										81

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENT

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands (Cont)

NORTH-SOUTH WIND M/SEC SOUTH +									
KMH KILOMETERS ABOVE SEA LEVEL									
MEAN AVERAGE OF OBSERVED VALUES									
STDEV STANDARD DEVIATION OF VALUES TIMES 10									
N	NUMBER OF VALUES AT EACH ALTITUDE								
26	20	30	32	34	36	38	40	42	44
MEAN	1	1	0	0	1	0	2	4	5
STDEV	29	26	31	31	40	44	43	46	51
N	52	53	54	54	54	54	54	54	54
28	14	40	36	47	33	38	42	44	58
30	32	21	6	33	38	42	44	46	58
32	-123	147	149	-142	24	24	24	24	58
34	32	32	32	32	32	32	32	32	32
36	32	32	32	32	32	32	32	32	32
38	32	32	32	32	32	32	32	32	32
40	-15	-21	4	22	24	16	31	31	31
42	-13	-19	-19	-14	-19	-10	2	46	46
44	-15	-20	-17	-12	-14	-14	20	24	24
46	-218	243	0	16	24	6	24	24	24
48	-7	2	-16	1	0	-10	3	6	-4
50	7	2	-16	1	0	-10	3	6	-4
52	14	9	-19	-6	-19	0	-12	6	13
54	-15	4	-5	-6	-14	10	-12	19	25
56	-10	6	-6	-1	-14	25	-14	29	24
58	-10	1	-1	-1	-22	24	-6	22	24
60	6	17	22	7	23	10	1	-6	-1
							-2	-6	1
							-9	-9	-5
							1	-9	42

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands (Cont.)

CORRELATION AT PARTS OF LEVELS FOR JUL 1969-1976																		
BARKING SANDS, HI																		
NORTH-SOUTH WIND M/SEC SOUTH +																		
KM	KILOMETERS ABOVE SEA LEVEL			MEAN AVERAGE OF OBSERVED VALUES			STDEV STANDARD DEVIATION OF VALUES TIMES 10			NUMBER OF VALUES AT EACH ALTITUDE								
N	MEAN			STDEV			STDEV			NUMBER OF VALUES AT EACH ALTITUDE								
26	26	30	36	32	34	36	33	40	42	44	46	48	50	52	54	56	58	60
MEAN	1	0	3	2	2	1	1	0	0	3	5	5	6	7	0	5	6	6
STDEV	23	22	26	29	27	29	41	45	46	51	57	61	67	76	56	106	116	145
N	47	51	55	55	55	55	55	55	55	55	55	55	55	55	55	51	41	26
26	-14	**																
30	-22	17																
32	4	-17	15															
36	14	20	-39	-46														
38	26	26	-6	-21	-16	26												
40	32	3	-17	14	-7	-13	23											
42	16	3	-16	26	3	-3	-33	37										
44	3	17	-3	10	14	-5	-42	-23	-36									
46	4	9	9	5	-25	-21	-3	-27	-19	37								
48	21	4	-7	26	-11	-17	-6	-2	-8	21	54							
50	16	12	-4	19	3	1	-7	-10	4	9	25	44						
52	23	-21	-16	23	-10	-9	-15	17	22	-11	-4	3	46					
54	7	-17	-6	19	-15	-5	-13	6	24	-22	-3	30	64					
56	-6	-27	7	29	-16	-26	-13	9	34	-15	10	15	56					
58	-9	-13	22	16	-11	-27	17	11	39	-14	14	15	-16	1	42			
60	-1	-5	21	9	-10	-13	11	-26	-6	11	49	13	-19	-11	1	13	53	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1963-1976

BARKING SANDS, HI

NORTH-SOUTH WIND HAFSC SOUTH \*

KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDEV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
mean	1	1	0	1	1	1	1	1	1	1	4	5	6	4	4	5	7	9
stdev	26	29	30	41	39	45	50	52	57	55	54	53	72	72	62	69	77	65
n	39	41	44	44	44	44	44	44	44	44	44	44	44	44	44	42	34	20
28	15 **																	
30	-6	4																
32	6	-1	-3	3	3	19												
34	2	12	-38	-36	13													
36	15	30	28	13	19	37												
40	10	9	-5	11	17	-10	28											
42	58	25	-12	11	26	9	19	54	58	55	50	59	20	48				
44	23	19	-12	17	17	23	19	54	58	55	50	59	20	48				
46	13	11	12	14	22	22	25	27	20	46	20	46	20	48				
50	-5	9	10	39	29	19	5	27	35	15	41	66						
52	19	4	-21	44	22	3	-5	13	24	22	40	66						
54	26	5	-21	42	28	-2	5	13	36	38	49	66						
56	17	-4	-14	10	3	-20	-22	13	13	15	14	22	12	14	29	78		
58	12	8	-2	15	12	-21	-22	15	14	22	19	21	12	14	5	43		
60	9	-25	11	-15	15	13	15	51	36	24	20	28	30	23	37	36	13	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

CAPE KENNEDY, FL

EAST-WEST WIND H/SEC WEST +

	KMH KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES									
	STDEV STANDARD DEVIATION OF VALUES TIMES 10									
N	NUMBER OF VALUES AT EACH ALTITUDE									
26	26	30	32	34	36	38	40	+2	44	46
MEAN	5	7	10	15	19	17	15	13	12	13
STDV	9.6	11.1	12.6	14.3	14.6	15.6	17.6	13.4	21.3	23.3
N	49	54	55	57	55	55	55	55	55	55
28	96	**								
30	04	97								
32	65	78	91	92	90	95	91			
34	72	85	95	96	97	95	91			
36	76	84	93	94	95	96	91			
38	79	87	96	97	98	95	91			
40	-1.2	-1.9	-1.3	-1.3	-1.3	-1.9	-1.4	-1.2	-1.2	-1.2
42	-1.6	-1.7	-1.4	-1.3	-1.3	-1.6	-1.4	-1.2	-1.2	-1.2
44	-1.6	-1.6	-1.4	-1.3	-1.3	-1.6	-1.4	-1.2	-1.2	-1.2
46	-1.6	-1.6	-1.4	-1.3	-1.3	-1.6	-1.4	-1.2	-1.2	-1.2
48	-1.3	-1.6	-1.4	-1.3	-1.3	-1.6	-1.4	-1.2	-1.2	-1.2
50	-2.1	-2.0	-1.2	-1.3	-1.3	-1.1	-1.1	-0.9	-0.9	-0.9
52	-2.6	-1.9	-1.2	-1	-1	-1.7	-1.7	-1.4	-1.4	-1.4
54	-3.1	-2.2	-1.3	-1.3	-1.3	-1.9	-1.9	-1.6	-1.6	-1.6
56	-2.6	-1.9	-1.2	-1	-1	-1.7	-1.7	-1.4	-1.4	-1.4
58	-3.4	-2.0	-1.4	-2	-2	-1.1	-1.1	-0.9	-0.9	-0.9
60	-2.5	-2.1	-1.3	-3	-3	-1.9	-1.9	-1.6	-1.6	-1.6

\*\* MULTIPLY TABULAR VALUES BY 1.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976 CAPE KENNEDY, FL											
EAST-WEST WIND M/SEC WEST +											
KM	KILOMETERS ABOVE SEA LEVEL										
MEAN	MEAN OF OBSERVED VALUES										
STDEV	STDEV STANDARD DEVIATION OF VALUES TIMES 10										
N	N NUMBER OF VALUES AT EACH ALTITUDE										
26	26	30	32	34	36	40	42	44	46	48	50
MEAN	-1	2	4	5	7	6	4	3	2	1	0
STDEV	55	74	66	105	125	133	115	105	119	131	147
N	48	48	50	50	50	50	50	50	50	50	50
26	85	**	30	71	91	52	55	58	61	64	67
32	55	78	90	92	96	98	92	93	94	95	97
36	49	70	83	86	88	90	86	88	89	90	91
40	44	58	63	77	84	86	92	90	93	95	97
44	43	55	56	69	76	81	91	93	95	96	98
48	36	49	54	60	63	66	73	75	76	77	79
52	29	44	43	51	45	45	58	63	66	68	70
56	24	34	33	41	42	42	56	68	69	71	73
60	8	14	21	34	32	31	35	44	52	64	73
64	13	18	20	30	29	31	35	41	46	50	56
68	10	12	15	22	16	16	22	30	43	54	65
72	5	8	15	11	12	12	11	21	31	41	56
76	-6	4	3	16	0	4	11	15	27	47	62
80	-2	11	19	25	14	11	12	17	37	57	59
84											

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1963-1976

CAPE KENNEDY, FL

EAST-WEST WIND M/SEC WEST +

KM KILMETERS ABOVE SEA LEVEL	MEAN AVERAGE OF OBSERVED VALUES									
	STDEV STANDARD DEVIATION OF VALUES TIMES 10									
N	NUMBER OF VALUES AT EACH ALTITUDE									
26	26	30	32	34	36	38	40	42	44	46
MEAN	-13	-22	-24	-25	-26	-29	-33	-39	-46	-48
STD <sup>a</sup>	33	34	41	52	46	50	55	47	63	67
N	54	56	56	56	56	56	56	56	56	56
28	56	68	70	69	69	63	52	52	54	58
30	55	67	76	76	76	69	66	66	66	66
32	40	28	32	32	32	32	32	32	32	32
36	32	32	32	32	32	32	32	32	32	32
40	30	22	36	26	15	29	66			
42	6	14	26	26	26	26	26	26	26	26
44	-14	16	22	22	22	22	22	22	22	22
46	-14	16	32	32	17	32	14	14	14	14
50	3	16	17	12	15	7	15	2	-13	4
52	-10	4	16	16	15	13	14	14	-4	4
54	-12	-13	16	16	15	15	15	15	22	3
56	-11	4	16	16	14	14	14	14	14	14
58	-24	-14	16	16	14	14	14	14	-15	4
60	-24	-14	-13	-32	-26	1	6	15	1	-10
64	-24	-14	-13	-32	-26	1	6	15	1	-7

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

CAPE KENNEDY, FL

EAST-WEST WIND M/SEC HEST +

KM	KILOMETERS ABOVE SEA LEVEL																		
	MEAN	AVERAGE OF OBSERVED VALUES																	
STDV	STANDARD DEVIATION OF VALUES TIMES 10																		
N	NUMBER OF VALUES AT EACH ALTITUDE																		
26	28	30	32	34	36	38	40	42	44	46									
MEAN	-6	-4	-3	0	4	8	11	15	16	21									
STDV	49	63	67	75	86	116	127	139	155	171									
N	52	54	54	54	54	54	54	54	54	54									
28	83	**																	
30	72	88																	
32	62	76	85																
34	55	68	79	90															
36	40	58	66	75	87														
38	50	61	66	76	82	91													
40	52	52	50	63	67	75	89												
42	51	45	46	55	58	70	81	92											
44	46	54	45	42	48	58	72	85	97										
46	56	43	43	51	53	58	74	82	90	97									
48	55	44	44	48	53	58	74	82	90	97									
50	51	41	43	50	46	56	72	80	89	93									
52	51	42	44	52	48	59	72	80	89	93									
54	46	38	38	48	46	54	67	76	86	92									
56	45	39	40	45	47	54	67	77	82	93									
58	45	41	43	40	40	52	65	77	88	95									
60	53	52	47	51	45	44	58	74	81	82									

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

CAPE KENNEDY, FL

NORTH-SOUTH WIND M/SEC SOUTH +

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN		AVERAGE OF OBSERVED VALUES		STDEV		STANDARD DEVIATION OF VALUES TIMES 10		N	
	N		NUMBER OF VALUES AT EACH ALTITUDE		N		NUMBER OF VALUES AT EACH ALTITUDE		N	
26	28	30	32	34	36	38	40	+2	44	+6
MEAN	1	2	3	4	2	0	1	4	9	10
STD <sub>V</sub>	32	51	64	62	74	82	74	88	102	122
N	49	54	55	55	55	55	55	55	55	55
28	60	**								
30	57	69								
32	28	58	70							
36	25	47	57	64	63	66				
39	59	50	44	46	49	50	71			
40	25	32	17	23	40	49	64			
42	27	19	20	23	31	40	38	42		
44	49	16	22	23	23	21	27	33		
46	12	19	11	11	12	12	19	14		
48										
50	12	4	13	15	17	19	12	28	43	42
52	4	2	5	18	12	26	22	38	45	41
54	10	11	23	32	24	35	23	33	46	42
56	15	18	22	20	29	36	21	29	36	32
58	-13	-10	-9	-9	-7	-3	-4	-4	31	21
60	9	-33	-6	-42	-23	-19	-34	-17	-1	6

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont)

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976									
CAPE KENNEDY, FL									
NORTH-SOUTH WIND MSEC SOUTH *									
KH KILOMETERS ABOVE SEA LEVEL									
MEAN AVERAGE OF OBSERVED VALUES									
STDEV STANDARD DEVIATION OF VALUES TIMES 10									
N NUMBER OF VALUES AT EACH ALTITUDE									
26 28 30 32 34 36 38 40 42 44	46 48 50 52 54 56 58 60								
MEAN -1 -1 1 2 1 0 2 -2 0 3	5 5 6 7 7 7 5 4								
STDEV 25 27 30 34 35 36 49 55 57 76	82 75 85 105 112 119 136								
N 54 56 56 56 56 56 56 56 56 56	56 56 56 56 53 45 35								
28 20 **									
30 -29 44									
32 -10 -8 9									
36 -39 -26 -36 16									
36 -21 -4 -11 -53 -45									
36 -3 6 -1 -53 -37 45									
40 2 15 10 11 -31 -32 39									
42 8 9 10 45 46 -46 -40 20									
44 6 11 10 26 25 -12 -52 -42									
46 5 22 13 19 13 -13 -41 -32									
48 14 -11 5 27 1 -12 -14 4									
50 5 -4 -6 6 6 3 15 17 6	-13 -2 33								
52 -3 -30 -17 -6 14 16 19 10 -15	-36 -28 -2 66								
54 6 -43 -21 -6 15 18 10 9 -13	-25 -27 -2 58								
56 10 -32 -15 -1 15 19 16 5 -11	-29 -44 -6 -7 31								
56 -36 -26 3 16 19 16 -10 -15	-11 -10 -15 -8 -7 38 67								
60 -20 -13 -17 -8 -15 -2 -c 3 27	19 27 2 32 20 3 -9 24								

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

CAPE KENNEDY, FL

NORTH-SOUTH WIND M/SEC SOUTH +

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDV STANDARD DEVIATION OF VALUES TIMES 10  
N NUMBER OF VALUES AT EACH ALTITUDE

KN	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	1	0	1	3	2	-1	-1	1	4	4	5	5	5	5	5	2	5	
STDV	25	25	33	35	41	50	54	58	54	52	72	81	80	74	75	83	92	
N	52	54	54	54	54	54	54	54	54	54	54	54	54	54	49	41	27	
28	30	**																
30	36	24																
32	45	4	50	37														
34	16	-4	10															
36	13	14	20	8	45													
38	19	30	8	47	40													
40	19	13	28	31	15	9	26											
42	22	26	19	2	4	18	10	42										
44	23	23	31	17	21	11	22	12	59									
46	12	10	18	17	11	12	13	11	32	35	32	75						
48	16	19	11	8	12	13	14	13	11	13	11	13						
50	6	6	24	10	27	19	-8	27	39	34	63	83						
52	22	9	21	13	26	20	5	1	23	41	39	55	71					
54	13	-7	10	24	11	24	-3	-1	24	32	33	53	61	74				
56	22	22	12	12	16	13	16	16	24	27	33	34	38	47	48	56		
58	22	22	13	9	6	16	13	16	16	16	16	16	16	16	16	16	16	
60	14	13	54	10	5	22	22	16	19	15	29	15	26	32	31	46	76	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A15. Zonal Winds From 26 km to 60 km at White Sands

## CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

WHITE SANDS MISSILE RANGE, NM

EAST-WEST WIND M'SEC WEST \*

KH MEAN STD <sup>W</sup> N	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES									
STOW N	STANDARD DEVIATION OF VALUES TIMES 10									
	N NUMBER OF VALUES AT EACH ALTITUDE									
26	26	30	32	34	36	38	40	42	44	46
MEAN	3	5	6	10	14	17	17	21	23	26
STD <sup>W</sup>	115	149	168	199	227	246	248	245	257	267
N	60	61	62	62	62	63	63	63	63	63
26	89	**	84	90	30	76	86	94	32	75
30	67	85	97	93	60	77	89	94	34	75
34	60	77	89	94	63	78	84	94	36	75
38	49	60	73	84	42	63	73	82	40	61
40	32	42	48	63	21	22	30	50	42	44
42	11	17	24	30	17	22	30	50	36	46
46	-21	-14	-23	-10	-12	-12	-12	-17	-17	-16
48	-31	-29	-36	-25	-12	-12	-12	-17	-17	-16
50	-37	-33	-41	-31	-19	-19	-8	16	33	39
52	-33	-31	-39	-34	-21	-21	-9	15	30	36
54	-30	-28	-42	-34	-21	-21	-7	15	29	32
56	-29	-27	-35	-32	-19	-19	-7	15	21	27
58	-21	-16	-19	-16	-12	-12	-6	25	40	57
60	-19	-16	-13	-7	8	15	31	44	60	65

90

\* MULTIPLY TABULAR VALUES BY .01 TO OBTAIN CORRELATION COEFFICIENTS



Table A15. Zonal Winds From 26 km to 60 km at White Sands (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

WHITE SANDS MISSILE RANGE, NM

EAST-WEST WIND M/SEC WEST \*

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN	AVERAGE OF OBSERVED VALUES			STDEV	STANDARD DEVIATION OF VALUES TIMES 10			N	NUMBER OF VALUES AT EACH ALTITUDE
26	26	30	32	34	36	38	40	42	44	46
MEAN	-16	-20	-21	-23	-24	-27	-30	-34	-39	-42
STDV	41	44	46	41	46	61	67	58	68	70
N	50	55	56	56	58	58	58	58	58	58
26	49 **									
30	28	46								
32	13	16	51	35						
36	74	19	16	11						
38	54	38	19	-6						
40	59	47	20	4	-1	13	57			
42	32	38	6	19	31	7	5	55		
46	35	46	14	22	24	26	-5	22	47	
48	21	42	14	9	24	29	23	1	13	20
50	-9	0	17	8	4	23	-7	-15	-7	31
52	-36	-11	24	3	0	16	-19	-34	-26	25
56	-19	-18	-27	3	0	19	-28	-42	37	37
58	-12	10	-15	-2	0	13	12	18	13	11
60	-14	-1	8	4	-3	-8	-6	-8	1	1

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A15. Zonal Winds From 26 km to 60 km at White Sands (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

WHITE SANDS MISSILE RANGE, NM  
EAST-WEST WIND M/SEC WEST \*

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES					STDEV STANDARD DEVIATION OF VALUES TIMES 10				
	N	NUMBER OF VALUES AT EACH ALTITUDE								
KH	26	26	30	32	34	36	38	40	42	44
MEAN	1	4	6	10	15	19	23	24	26	28
STDEV	66	75	106	113	136	163	184	196	205	210
N	51	56	57	56	58	56	58	58	58	58
	26	69	**							
	30	76	86							
	32	66	76	94	88	82	95	95	95	95
	34	63	63	71	62	60	60	60	60	60
	36	63	63	65	65	65	65	65	65	65
	40	57	60	62	70	81	87	95		
	42	58	64	59	66	79	86	92	97	
	44	62	66	60	62	77	84	90	94	97
	46	61	63	63	65	73	81	86	90	93
	48	54	65	64	73	81	83	87	90	91
	50	54	65	64	73	81	83	87	90	93
	52	50	58	61	71	78	82	85	88	91
	54	42	52	52	65	77	83	84	85	86
	56	66	78	65	65	77	81	83	86	89
	58	70	79	64	65	77	81	83	86	89
	60	63	71	63	66	77	81	82	84	87

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds from 26 km to 60 km at White Sands  
 CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976  
 WHITE SANDS MISSILE RANGE, NM  
 NORTH-SOUTH WIND MSEC SOUTH \*

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES					STDEV STANDARD DEVIATION OF VALUES TIMES 10				
N	NUMBER OF VALUES AT EACH ALTITUDE									
26	26	30	32	34	36	40	42	44	46	48
MEAN	-1	0	2	0	0	2	4	7	7	10
STDV	52	58	69	76	67	97	107	126	132	136
N	60	61	62	62	62	63	63	63	63	63
26	59	**								
30	58	73								
32	35	59	70	76						
36	34	46	57	65	75					
38	31	44	55	62	71					
40	-5	23	34	55	66	70	80			
42	-21	19	23	43	51	52	66	80		
44	-16	13	18	32	43	47	56	67	75	
46	-12	12	12	23	37	34	47	57	64	74
48	-29	22	-4	1	16	13	30	47	68	71
50	-34	-11	-17	-11	11	11	14	31	54	67
52	-31	-16	-14	-10	10	16	22	35	53	64
54	-23	-17	-11	-10	10	16	22	35	53	64
56	-26	-22	-11	-7	12	16	22	35	53	64
58	-26	-23	-9	-4	12	16	22	35	53	64
60	-16	-36	-15	-14	11	24	28	30	36	31

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds From 26 km to 60 km at White Sands (Cont.)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976																		
WHITE SANDS MISSILE RANGE, NM																		
NORTH-SOUTH WIND M/SEC SOUTH *																		
KM KILOMETERS ABOVE SEA LEVEL																		
MEAN AVERAGE OF OBSERVED VALUES																		
STDV STANDRD DEVIATION OF VALUES TIMES 10																		
N NUMBER OF VALUES AT EACH ALTITUDE																		
KM	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	1	1	1	1	1	1	0	-2	1	1	3	5	4	5	4	6	7	5
STDV	31	32	41	50	65	60	15	87	88	93	45	66	88	69	67	124	108	137
N	49	58	60	61	60	60	60	60	60	60	60	60	60	60	56	51	46	28
	52	46	30	27	40	32	42	40	42	71	37	32	33	60	48	76	53	44
	32	34	27	36	35	67	53	69	58	50	57	43	38	61	48	66	51	40
	36	36	36	36	36	71	69	63	58	57	55	52	48	61	48	66	51	40
	38	36	36	36	36	46	43	58	50	57	55	52	48	61	48	66	51	40
	40	-9	10	32	42	40	42	71	37	32	33	60	48	76	53	44	66	51
	42	0	5	21	37	36	32	33	60	48	76	53	44	66	53	44	66	51
	44	-11	-8	21	21	26	22	24	24	25	25	25	25	25	25	25	25	25
	46	-13	-11	24	24	24	23	23	23	23	23	23	23	23	23	23	23	23
	48	-12	-13	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
	50	-35	-12	30	27	0	11	26	36	16	29	23	44					
	52	-10	-4	30	33	30	34	27	44	42	37	27	37					
	54	-17	-4	13	24	14	17	20	35	36	32	24	39					
	56	-19	-19	16	21	16	10	26	42	42	41	45	29	36				
	58	-11	-14	3	21	1	17	21	22	42	44	49	55	50	40	34	65	
	60	-23	5	9	21	18	15	8	40	59	48	25	48	44	38	50	40	56

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds from 26 km to 60 km at White Sands (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976											
WHITE SANDS MISSILE RANGE, NM											
NORTH-SOUTH WIND M/SEC SOUTH *											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN	26	28	30	32	34	36	38	40	42	44	46
STDEV	1	0	1	1	1	0	0	1	3	3	4
N	30	29	33	33	41	37	51	46	55	47	63
28	-52 **										
10	-22	6									
32	15	-26	3	16	-16	-26	-20				
36	-10	15	3	16	-16	-26	-20				
42	17	-23	4	27	1	-51	11				
44	44	-27	-17	25	6	-16	17				
46	33	-24	10	29	26	-27	-16				
48	11	31	19	41	33	-16	16				
50	-6	39	16	44	24	1	-14	-16			
52	19	-6	-1	24	5	16	11	-22	21	-16	20
54	-12	74	35	34	9	16	1	-16	3	-19	35
56	-15	-15	-24	22	-12	16	10	32	3	16	30
58	0	15	15	15	11	16	14	-16	14	-12	15
60	-29	-5	24	-7	-11	19	-14	-20	-26	-12	-45

MEAN AVERAGE OF OBSERVED VALUES											
STDEV STANDARD DEVIATION OF VALUES TIMES 10											
N NUMBER OF VALUES AT EACH ALTITUDE											
KM	26	28	30	32	34	36	38	40	42	44	46
MEAN	1	0	1	1	1	0	0	1	3	3	4
STDEV	30	29	33	33	41	37	51	46	55	47	63
N	50	55	58	58	58	58	58	58	58	58	58
28	-52 **										
10	-22	6									
32	15	-26	3	16	-16	-26	-20				
36	-10	15	3	16	-16	-26	-20				
42	17	-23	4	27	1	-51	11				
44	44	-27	-17	25	6	-16	17				
46	33	-24	10	29	26	-27	-16				
48	11	31	19	41	33	-16	16				
50	-6	39	16	44	24	1	-14	-16			
52	19	-6	-1	24	5	16	11	-22	21	-16	20
54	-12	74	35	34	9	16	1	-16	3	-19	35
56	-15	-15	-24	22	-12	16	10	32	3	16	30
58	0	15	15	15	11	16	14	-16	14	-12	15
60	-29	-5	24	-7	-11	19	-14	-20	-26	-12	-45

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds From 26 km to 60 km at White Sands ((cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

WHITE SANDS MISSILE RANGE, NM

NORTH-SOUTH WIND M/SEC SOUTH \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDEV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

KN	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	0	1	2	3	4	3	3	1	1	4	0	0	5	9	7	9	8	9
STDEV	29	37	31	46	49	47	62	58	66	69	68	91	94	85	113	116	131	131
N	51	56	57	56	58	58	58	58	58	58	58	58	58	58	58	58	58	58
26	33 **	39	42	37	45	43	47	42	44	46	48	50	52	54	56	58	58	58
10	39	42	37	45	43	47	42	44	46	48	50	52	54	56	58	58	58	58
52	34	32	34	32	33	33	48	43	46	48	49	51	52	54	56	58	58	58
38	34	32	34	32	33	33	48	43	46	48	49	51	52	54	56	58	58	58
40	4	29	-1	45	51	39	63	57	54	56	58	60	75	77	77	77	77	77
42	-3	38	14	54	38	29	32	57	54	56	58	60	70	75	77	77	77	77
44	20	42	36	36	36	46	46	46	46	46	46	46	46	46	46	46	46	46
46	15	39	26	29	45	37	37	47	47	47	47	47	47	47	47	47	47	47
48	12	30	23	34	46	57	47	47	47	47	47	47	47	47	47	47	47	47
50	12	39	23	49	56	51	48	45	45	45	45	45	45	45	45	45	45	45
52	-9	16	14	41	66	43	53	44	38	44	46	49	66	65	67	67	67	67
54	-14	10	14	29	53	44	53	44	38	42	31	43	61	61	61	61	61	61
56	-10	11	14	32	54	44	54	44	38	42	31	42	66	66	66	66	66	66
58	-10	12	2	22	47	45	50	38	46	46	59	65	58	51	53	73	76	76
60	-19	12	2	22	47	45	50	38	46	46	59	65	58	51	53	73	76	76

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A17. Zonal Winds From 26 Km to 60 Km at Primrose Lake  
 CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976  
 PRIMROSE LAKE, ALBERTA

	EAST-WEST WIND M/SEC WEST *																		
	N N KILOMETERS ABOVE SEA LEVEL																		
	MEAN AVERAGE OF OBSERVED VALUES																		
	STDEV STANDARD DEVIATION OF VALUES TIMES 10																		
	N NUMBER OF VALUES AT EACH ALTITUDE																		
KM	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	
MEAN	6	6	10	10	10	12	15	15	23	31	51	34	35	39	38	37	42	40	
STDEV	26.0	26.2	29.5	29.5	29.6	29.6	29.6	29.6	29.7	34.3	34.3	37.7	42.5	47.9	44.6	47.4	44.3	40.2	32.9
4	22	22	24	24	24	24	24	24	24	24	24	24	24	24	23	23	15		
28	9.6 **																		
30	9.7	9.9																	
32	9.2	9.5	9.6	9.6	9.7	9.6	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7		
34	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6		
36	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8		
40	5.3	5.9	6.9	7.3	8.1	9.0	9.5												
42	3.5	4.0	5.5	6.2	7.3	8.2	9.4	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6		
44	1.3	2.4	2.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6		
46	-1.4	-1.0	-1.4	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3	-1.3		
48	-1.2	-1.7	-1.0	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6	-1.6		
50	-1.2	-2.1	-1.6	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0		
52	-2.5	-2.1	-1.9	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4	-2.4		
54	-2.4	-2.0	-1.7	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2	-2.2		
56	-3.4	-2.9	-1.0	-4	-4	-4	-4	-4	-4	-4	-4	-4	-4	-4	-4	-4	-4		
58	-3.4	-2.8	-1.6	-10	2	15	33	46	55	40	69	77	76	65	65	66	94		
60	-3.4	-2.8	-1.6	-10	2	15	33	46	55	40	69	77	76	65	65	66	94		

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A17. Zonal Winds From 26 km to 60 km at Primrose Lake (Cont)

## CORRELATION AT PAIRS OF ELEVELS FOR APR 1969-1976

PRIMROSE LAKE, ALBERTA

KH MEAN	-4	-5	-3	0	2	4	6	8	10	52	54	56	58	60	KILOMETERS ABOVE SEA LEVEL			
															EAST-WEST WIND M/SEC	WEST +		
STDEV	62	75	60	93	114	109	126	151	167	186	163	167	187	168	202	214	216	742
N	30	31	30	32	31	31	31	31	31	31	31	31	31	31	30	31	30	24
26	88	**																
30	85	65																
32	63	90	96	89	92	93	80	76	80	89	94	96	95	96	95	96	96	90
34	79	87	80	83	89	92	84	80	84	86	87	87	87	87	87	87	87	87
36	60	69	69	74	66	68	68	67	72	68	68	68	68	68	68	68	68	68
38	65	69	74	74	66	68	68	63	63	68	68	68	68	68	68	68	68	68
40	51	61	67	75	63	63	63	63	63	63	63	63	63	63	63	63	63	63
42	48	57	61	70	76	80	89	94	96	96	96	96	96	96	96	96	96	96
44	45	59	52	64	64	71	75	81	84	87	87	87	87	87	87	87	87	87
46	44	52	49	62	62	67	72	84	84	87	87	87	87	87	87	87	87	87
48	49	51	44	57	63	63	68	68	68	68	68	68	68	68	68	68	68	68
50	43	44	44	56	61	68	83	84	84	84	84	84	84	84	84	84	84	84
52	42	37	34	46	52	60	77	77	84	86	90	93	95	95	95	95	95	95
54	22	25	16	32	40	47	67	70	78	83	85	83	85	85	85	85	85	85
56	24	28	19	35	39	49	68	74	79	83	86	83	86	86	86	86	86	86
58	25	31	19	39	43	50	70	76	80	87	90	88	90	88	88	88	88	88
60	26	21	9	27	33	36	60	62	70	79	81	80	84	87	84	89	89	93

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A17. Zonal Winds From 26km to 60 km at Primrose Lake (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976											
PRIMROSE LAKE, ALBERTA											
EAST-WEST WIND - N SEC WEST *											
KM	KILOMETERS ABOVE SEA LEVEL			MEAN AVERAGE OF OBSERVED VALUES			STDEV STANDARD DEVIATION OF VALUES TIMES 10			N NUMBER OF VALUES AT EACH ALTITUDE	
MEAN	6	10	14	18	21	24	29	32	36	41	44
STDEV	67	73	83	91	99	112	102	116	125	141	134
N	35	35	35	35	35	34	35	35	35	35	35
24	88	**									
30	66	91									
32	86	91	95								
34	79	86	87	90							
36	72	81	86	87	89						
38	87	72	80	84	87	89					
40	44	50	59	66	73	74	86				
42	43	61	60	70	76	80	85	87			
44	32	45	51	66	66	72	81	85	87		
46	21	24	27	39	45	53	64	68	73	79	
48	19	27	35	43	54	67	71	72	80	91	
50	6	16	19	27	31	47	51	54	63	69	85
52	12	18	14	29	30	44	49	55	64	62	85
54	-12	15	13	25	30	46	50	56	60	66	87
56	-14	-17	-23	-13	-15	-25	-35	-45	-57	-63	77
58	-8	-7	-16	-12	-14	-10	-13	-21	-28	-42	67
60	-21	-17	-29	-25	-19	-12	-2	-5	9	13	27
62											

100

\* \* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A18. Meridional Winds From 26 km to 60 km at Primrose Lake  
 CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

PRIMROSE LAKE, ALBERTA

NORTH-SOUTH WIND MSEC SOUTH \*

KM	KILOMETERS ABOVE SEA LEVEL									
	MEAN AVERAGE OF OBSERVED VALUES									
	STDEV STANDARD DEVIATION OF VALUES TIMES 10									
	N NUMBER OF VALUES AT EACH ALTITUDE									
KM	26	28	30	32	34	36	38	40	42	44
MEAN	-19	-19	-22	-24	-24	-21	-23	-22	-18	-20
STDEV	155	168	220	241	255	261	295	291	319	333
N	22	22	24	24	24	24	24	24	24	24
	28	96	**							
	30	94	97							
	32	90	94	98						
	34	85	88	95	97					
	36	87	84	91	93	97				
	38	66	77	85	88	93	95			
	40	61	71	81	85	88	94	96		
	42	43	51	67	74	83	88	92	92	
	44	55	63	76	80	89	91	92	90	95
	46	51	60	72	77	84	86	86	84	86
	48	41	46	57	61	66	73	72	80	86
	50	19	23	39	45	53	60	60	58	69
	52	5	6	28	38	46	56	60	57	70
	54	-9	-5	19	33	41	50	59	50	64
	56	-7	-7	19	32	40	46	56	56	66
	58	-19	-20	-12	-6	11	20	22	31	57
	60	-29	-36	-16	-12	9	14	23	25	45

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A18. Meridional Winds From 26 Km to 60 Km at Primrose Lake (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

PRIMROSE LAKE, ALBERTA

NORTH-SOUTH WIND M/SEC SOUTH +

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDEV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
MEAN	-1	3	2	0	1	2	0	0	2	4	4	4	3	5	8	6	13	
STDEV	44	63	66	68	73	69	76	76	64	77	71	68	79	92	91	95	132	
N	30	31	30	31	31	31	31	31	31	31	31	31	31	31	30	29	26	
	26	77	**															
	30	76	66															
52	61	63	63	93	92	93	94	94	90	90	90	90	90	90	90	90	90	
36	51	64	64	74	74	64	64	64	70	70	75	75	75	75	75	75	75	
40	63	69	78	73	81	81	81	81	81	81	81	81	81	81	81	81	81	
42	58	66	70	69	73	76	76	76	76	76	77	77	77	77	77	77	77	
44	55	45	45	45	45	53	53	53	53	53	54	54	54	54	54	54	54	
46	39	38	38	30	30	36	36	36	40	40	46	46	46	46	46	46	46	
50	31	23	23	24	30	33	49	63	53	51	74	69	69	69	69	69	69	
52	9	29	26	13	26	27	52	59	54	54	54	54	54	54	54	54	54	
54	23	12	16	13	23	23	56	48	48	48	48	48	48	48	48	48	48	
56	8	15	22	14	14	14	18	42	50	47	58	54	42	49	64	62	61	
58	5	4	14	5	19	24	42	42	47	58	54	42	49	64	74	74	74	
60	-11	11	14	-8	10	15	40	47	52	42	45	20	39	77	59	36	76	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS



Table A19. Zonal Winds From 26 km to 60 km at Poker Flats

CORRELATION AT PAIRS OF LEVELS FOR JAN 1963-1976

	POKER FLATS, AK											
	EAST-WEST WIND M/SEC				WEST *							
KM	KILOMETERS ABOVE SEA LEVEL											
MEAN	MEAN AVERAGE OF OBSERVED VALUES											
STDEV	STDEV STANDARD DEVIATION OF VALUES TIMES 10											
N	N NUMBER OF VALUES AT EACH ALTITUDE											
26	99 **	99	99	99	99	99	99	99				
30	97	99	97	98	96	99	96	99				
32	95	96	96	99	96	98	96	99				
34	94	96	96	98	96	98	96	99				
36	92	95	93	96	98	99	96	99				
40	89	91	92	96	96	99	99	99				
42	82	86	83	91	93	95	95	96				
44	70	73	73	85	87	90	92	94				
46	68	72	72	80	83	87	88	90				
48	55	59	64	70	73	77	79	85				
50	37	43	53	59	62	66	70	72				
52	30	39	49	53	55	61	62	65				
54	31	33	47	51	55	60	62	65				
56	25	24	39	39	45	52	52	56				
58	20	24	30	30	32	37	40	52				
60	34	27	46	56	52	58	57	61				

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at POKER FLATS (Cont.)  
 CORRELATION AT FARS OF LEVELS FOR APR 1966-1976

	POKER FLATS, AK														
	EAST-WEST WIND M/SEC					WEST *									
KM	KILOMETERS ABOVE SEA LEVEL														
	MEAN AVERAGE OF OBSERVED VALUES														
	STDV STANDARD DEVIATION OF VALUES TIMES 10														
N	N NUMBER OF VALUES AT EACH ALTITUDE														
26	26	30	32	34	36	38	40	42	44	46					
MEAN	-4	-5	-6	-6	-7	-6	-6	-5	-3	-2					
STDEV	44	50	64	66	81	99	103	110	126	139					
N	40	40	40	40	39	36	39	38	36	35					
	26	62 **													
	30	57	60												
	32	55	77	90	90	90	90	90	90	90					
	36	52	73	80	80	80	80	80	80	80					
	40	41	70	79	86	86	86	86	86	86					
	42	42	57	69	77	80	85	89	93	93					
	44	44	56	69	71	75	85	90	95	95					
	46	46	56	64	71	73	84	82	81	87					
	48	48	50	65	71	73	84	82	81	87					
	50	53	23	46	67	67	66	66	62	92					
	52	52	39	54	62	62	59	69	77	84					
	54	54	16	35	41	43	43	52	64	74					
	56	56	24	22	33	45	45	53	60	68					
	58	58	60	4	15	44	50	61	63	66					
	60	60													

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at Poker Flats (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

POKER F-ATL, AK

EAST-WEST WIND 4/SEC WEST +

	KM	KILOMETERS ABOVE SEA LEVEL	MEAN	AVERAGE OF OBSERVED VALUES	STDEV	STANDARD DEVIATION OF VALUES TIMES 10	N	NUMBER OF VALUES AT EACH ALTITUDE										
KM	26	28	30	32	34	36	40	42	44	46	48	50	52	54	56	58	60	
MEAN	-7	-9	-9	-11	-12	-13	-14	-15	-17	-20	-22	-23	-26	-30	-31	-37	-42	-41
STDEV	24	39	29	37	37	26	37	49	61	60	64	56	74	90	81	101	99	
N	36	36	36	37	37	37	37	37	35	36	36	36	36	36	35	30	26	15
24	76	**																
33	35	69																
32	19	13	17	66	66	77	56	51	51	52	52	52	54	54	56	58	60	60
31	31	27	32	50	41	56	51	56	51	52	52	52	54	54	56	58	60	60
30	31	21	21	42	63	75	61	64	64	62	62	62	64	64	66	68	70	70
44	21	13	12	63	62	62	62	62	62	62	62	62	62	62	62	64	66	68
42	23	13	14	64	64	64	64	64	64	64	64	64	64	64	64	66	68	70
44	23	14	14	64	64	64	64	64	64	64	64	64	64	64	64	66	68	70
46	24	32	40	47	48	53	60	60	60	60	60	60	60	60	60	62	64	66
48	34	11	6	40	40	48	55	55	55	55	55	55	55	55	55	57	59	61
50	34	11	6	40	40	48	55	55	55	55	55	55	55	55	55	57	59	61
52	9	10	15	22	22	25	25	25	25	25	25	25	25	25	25	26	27	28
54	9	15	22	25	25	25	25	25	25	25	25	25	25	25	25	26	27	28
56	-9	-13	-13	55	55	47	55	55	55	55	55	55	55	55	55	56	57	58
58	-1	13	13	61	55	47	55	55	55	55	55	55	55	55	55	56	57	58
60	35	21	-6	42	24	24	26	19	19	33	20	13	16	16	16	17	18	19

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at Poker Flats (Cont.)  
 CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

POKER FLATS, AK																		
EAST-WEST WIND M/SEC WEST *																		
KM KILOMETERS ABOVE SEA LEVEL																		
MEAN AVERAGE OF OBSERVED VALUES																		
N	STDEV	STANDARD DEVIATION OF VALUES TIMES 10	NUMBER OF VALUES AT EACH ALTITUDE															
26	28	39	32	34	36	40	42	44	46	48	50	52	54	56	58	60	62	64
13	15	17	16	19	21	22	25	29	30	32	33	32	31	31	31	31	31	26
95	99	104	109	112	106	119	128	122	117	135	149	157	168	166	207	215	169	
N	26	28	29	29	29	29	29	29	26	26	26	27	27	27	21	21	16	
28	97	99	95	97	96	97	93	95	91	95	95	95	95	95	95	95	95	
30	91	93	96	97	91	93	95	91	90	91	95	95	95	95	95	95	95	
32	86	88	89	91	89	90	91	90	91	90	95	95	95	95	95	95	95	
34	86	88	89	91	89	90	91	90	91	90	95	95	95	95	95	95	95	
36	83	85	86	88	84	85	86	87	86	85	85	85	85	85	85	85	85	
38	83	85	86	88	84	85	86	87	86	85	85	85	85	85	85	85	85	
40	85	89	90	88	89	90	90	90	90	90	95	95	95	95	95	95	95	
42	79	83	88	86	87	86	85	86	85	85	85	85	85	85	85	85	85	
44	72	74	77	75	76	75	74	75	74	75	75	75	75	75	75	75	75	
46	64	66	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	
48	52	61	67	67	69	70	69	68	67	67	67	67	67	67	67	67	67	
50	40	55	58	60	61	60	72	74	74	74	74	74	74	74	74	74	74	
52	25	38	39	39	46	46	55	59	59	59	59	59	59	59	59	59	59	
54	24	34	37	37	44	44	52	52	52	52	52	52	52	52	52	52	52	
56	14	25	26	26	35	35	41	41	41	41	41	41	41	41	41	41	41	
58	9	15	26	22	24	24	0	15	32	37	17	53	59	57	27	16	30	70

\* \* MULTIPLY TASULAN VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENT

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976											
POKER FLATS, AK											
NORTH-SOUTH WIND H/SEC			SOUTH +			KM KILOMETERS ABOVE SEA LEVEL			MEAN AVERAGE OF OBSERVED VALUES		
STDEV STANDARD DEVIATION OF VALUES TIMES 10			N NUMBER OF VALUES AT EACH ALTITUDE			STDEV STANDARD DEVIATION OF VALUES TIMES 10			N NUMBER OF VALUES AT EACH ALTITUDE		
26	28	30	32	34	36	38	40	+2	44	46	48
MEAN	-10	-14	-16	-21	-25	-26	-28	-31	-31	-29	-30
STDEV	130	161	195	196	225	247	261	303	361	374	406
N	37	41	43	45	44	43	45	44	42	43	41
28	96	**									
30	92	97									
32	90	94	96	97	97	97	97				
34	85	89	92	93	93	93	93				
36	64	72	81	83	83	83	83				
40	50	64	74	77	85	92	95				
42	45	54	65	71	81	89	95	96	96	96	96
44	39	46	52	62	75	84	94	95	95	95	95
46	29	39	43	48	61	71	81	91	91	91	91
48	12	12	12	12	19	24	37	53	56	66	75
50	8	19	35	41	54	63	67	77	84	89	91
52	-16	-7	27	29	43	53	56	66	75	79	94
54	-26	-19	12	19	26	37	47	52	62	77	82
56	-26	-17	5	19	29	37	44	54	64	76	83
58	-35	-32	-1	-2	3	5	8	28	36	56	72
60											

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976											
POKER FLATS, AK											
NORTH-SOUTH WIND H/SEC SOUTH *											
KM KILOMETERS ABOVE SEA LEVEL											
MEAN	26	28	30	32	34	36	38	40	42	44	46
STDEV	1	1	1	1	1	1	1	1	2	2	4
N	46	41	39	45	47	67	69	81	85	87	92
	40	40	40	44	40	39	38	39	36	38	104
	28	71 **									131 124 125 103 96 106
	30	65	78								36 35 30 22
	32	53	64	66	69	67	65	67	69	70	
	36	46	50	52	55	75	76	77	78	79	
	43	21	51	72	62	57	69	87			
	42	44	43	57	67	64	74	75	76	77	
	46	42	42	56	66	55	59	64	73	75	
	48	19	33	47	40	30	59	71	69	76	
	50	27	47	61	55	42	64	77	73	77	
	52	17	39	54	44	33	61	76	71	75	
	56	17	26	40	36	22	44	62	56	64	
	58	17	20	32	29	26	40	34	36	51	
	60	19	21	43	50	43	70	46	56	59	

N NUMBER OF VALUES AT EACH ALTITUDE

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A20. Meridional Winds from 26 km to 0 km at Poker Flats (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976											
POKER FLATS, AK											
NORTH-SOUTH WIND M/SEC SOUTH *											
Km Kilometers Above Sea Level											
MEAN AVERAGE OF OBSERVED VALUES											
STDEV STANDARD DEVIATION OF VALUES TIMES 10											
N NUMBER OF VALUES AT EACH ALTITUDE											
km	26	28	30	32	34	36	38	40	42	44	46
MEAN	-2	1	1	1	2	2	2	2	3	3	6
STDEV	14	16	15	16	21	19	21	27	32	32	6
N	35	36	36	37	37	37	37	35	36	36	7
	28	35	**								
	34	36	-4								
	32	29	-16	-25	-19	-21	-24	-27	-30	-33	-60
	36	36	-18	-24	-20	-27	-31	-36	-40	-45	-77
	40	-15	-16	12	4	-14	-11	17			
	42	19	-5	-13	-25	-35	-40	-49	-59	-70	
	44	16	-16	-14	-21	-31	-41	-51	-61	-71	
	46	26	-18	-24	-31	-41	-51	-61	-71	-81	
	50	-7	-17	4	-9	5	29	-17	26	6	7
	52	-19	-16	42	-19	-17	21	8	-17	19	19
	54	-12	-16	-14	-16	-16	-16	-16	-16	-16	-16
	56	-22	-23	-23	-23	-23	-23	-23	-23	-23	-23
	60	10	-25	-37	21	-40	-16	3	24	19	52

\* MULTIPLY TABULAR VALUES BY 0.001 TO OBTAIN CORRELATION COEFFICIENTS

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats (Cont)

COP: ELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

## POKER FLATS, AK

NORTH-SOUTH WIND M/SEC SOUTH \*

KM KILOMETERS ABOVE SEA LEVEL

MEAN AVERAGE OF OBSERVED VALUES

STDV STANDARD DEVIATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

KM	26	2.8	3.0	3.2	3.4	3.6	3.8	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0
MEAN	-3	-5	-6	-9	-12	-13	-15	-16	-18	-19	-22	-22	-22	-22	-16	-15	-13	-12
STDV	66	77	91	104	104	114	116	129	129	129	143	169	197	202	213	216	214	215
N	26	26	29	29	29	29	29	29	29	28	28	28	28	28	27	26	26	21
	26	92 **																
	30	87	94															
	32	84	89	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97
	34	73	77	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87
	36	65	76	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85
	40	55	72	76	78	78	83	90										
	42	51	67	73	76	79	84	83	94									
	44	50	62	64	68	73	75	79	86	91								
	46	44	62	59	60	65	71	76	82	96	93							
	50	50	66	63	57	60	63	69	79	76	80	83	95					
	52	49	40	44	41	46	52	54	74	75	76	74	81	84				
	54	51	45	15	14	21	22	23	48	46	61	66	68	76				
	56	56	29	25	24	32	43	56	56	57	65	66	69	86	90			
	58	24	34	24	22	42	52	53	45	47	53	60	60	64	72	65	61	
	60	43	41	39	44	56	55	58	48	61	70	74	71	68	74	72	68	72

\*\* MULTIPLY TABULAR VALUES BY 3.01 TO OBTAIN CORRELATION COEFFICIENTS

## Appendix B

### Sample Calculations for Estimating the Effects of Winds on a Reentry Vehicle

The computations given in this Appendix illustrate how to estimate the effect of mean monthly zonal and meridional winds, and the day-to-day variations around their means, on the trajectory of a reentry vehicle passing through the region between 11 km and 5 km near Wallops Island in January.

For the purpose of this simplified example, the following influence coefficients for the vehicle have been assumed such that a wind of  $1 \text{ m sec}^{-1}$  at a specific altitude will have the indicated effect through a 2-km layer of the atmosphere:

<u>Layer (km)</u>	<u>Influence [<math>\text{m}(\text{m sec}^{-1})^{-1}</math>]</u>
11 - 9	0.7
9 - 7	0.4
7 - 5	0.2

The average departure from a no-wind condition is the sum of the effects due to the mean monthly wind speed at each level as determined from Eq. (2) in Section 3 of the text:

Level (km)	Wallops Zonal Wind (m sec <sup>-1</sup> )		Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]		Distance (m)
10	31	X	0.7	=	22
8	34	X	0.4	=	14
6	28	X	0.2	=	<u>6</u>
Average departure due to zonal wind				=	42 m

Level (km)	Wallops Merid. Wind (m sec <sup>-1</sup> )		Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]		Distance (m)
10	2	X	0.7	=	1
8	2	X	0.4	=	1
6	1	X	0.2	=	<u>0</u>
Average departure due to merid. wind					2 m

Consequently, the average range and cross-range distance from a no-wind condition is 42\* meters to the east and 2\* meters to the north.

The integrated standard deviation of the departure due to day-to-day variations in the component wind profiles is determined from Eq. (3) in Section 3 using the standard deviations of the component winds at levels 10, 8, and 6 km and the correlation coefficients between these levels as indicated in the zonal and meridional arrays for Wallops Island, January, in Appendix A:

#### Zonal Wind

Corr Coeff	Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]	Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]	Distance <sup>2</sup> (m <sup>2</sup> )
	$(12.0 \times 0.7)^2$				= 71
	$(15.0 \times 0.4)^2$				= 36
	$(12.3 \times 0.2)^2$				= 6
2 × 0.91	X 12.0 × 0.7	X	15.0	X 0.4	= 92
2 × 0.77	X 12.0 × 0.7	X	12.3	X 0.2	= 32
2 × 0.94	X 15.0 × 0.4	X	12.3	X 0.2	<u>28</u>
Total ( $\sigma_2^2$ )					= 265 m <sup>2</sup>

Meridional Wind

Corr Coeff	Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]	Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]	Distance <sup>2</sup> (m <sup>2</sup> )
	$(19.2 \times 0.7)^2$				= 181
	$(16.4 \times 0.4)^2$				= 43
	$(13.4 \times 0.2)^2$				= 7
2 × 0.97	X $19.2 \times 0.7$	X	16.4	X    0.4	= 171
2 × 0.90	X $19.2 \times 0.7$	X	13.4	X    0.2	= 37
2 × 0.95	X $16.4 \times 0.4$	X	13.4	X    0.2	= 33
			Total $(\sigma_m^2)$	=	472 m <sup>2</sup>

Thus, the integrated standard deviation ( $\sigma$ ) is

$$\sigma = \sqrt{(\sigma_z^2) + (\sigma_m^2)} = 27 \text{ m} \quad (\text{B1})$$

Based on the assumption of circular distribution of winds, the vehicle will impact within 47 meters\* (1.73  $\sigma$ ) of the target 95 percent of the time, provided the aim point has been adjusted to compensate for the mean monthly wind. The CEP (the circle within which 50 percent of the missile hits (0.83  $\sigma$ ) will be scattered) is 20 meters.\*

---

\*These values reflect both smaller mean monthly effects and variability around the target than would normally be expected because the sample calculations have been made only for altitudes between 11 km and 5 km.